

CaCl₂ pH in Northeastern Spruce Stands

<u>BS Horizon</u>	<u>1992-93</u>	<u>2008</u>
BL	3.58	3.71
CR	3.91	3.73
GT	4.46	4.28
HW	4.13	3.91
KS	4.14	3.92
MO	3.58	3.39

Exchangeable Ca in Northeastern Spruce Stands

Oa Horizon	Original #	2008 #
BL	11.0	9.5
CR	6.8	6.2
GT	13.7	12.7
HW	11.4	9.5
KS	6.3	5.8
MO	6.4	5.8

Exchangeable Mg in Northeastern Spruce Stands

<u>BS Horizon</u>	<u>1992-93</u>	<u>2008</u>
BL	0.04	0.04
CR	0.09	0.07
GT	0.05	0.03
HW	0.08	0.07
KS	0.08	0.08
MO	0.1	0.08

Exchangeable Ca in Northeastern Spruce Stands

<u>BS Horizon</u>	<u>1992-93</u>	<u>2008</u>
BL	0.18	0.10
CR	0.3	0.17
GT	0.32	0.11
HW	0.19	0.10
KS	0.19	0.15
MO	0.37	0.21

CaCl₂ pH in Northeastern Spruce Stands

<u>Oa Horizon</u>	<u>1992-93</u>	<u>2008</u>
BL	2.63	2.62
CR	2.62	2.60
GT	2.87	2.81
HW	2.77	2.74
KS	2.87	2.78
MO	2.56	2.55

Exchangeable Mg in Northeastern Spruce Stands

<u>Oa Horizon</u>	<u>1992-93</u>	<u>2008</u>
BL	2	1.9
CR	2.1	1.8
GT	2.9	2.4
HW	2.6	3.0
KS	2.2	2.1
MO	2	1.5