

The Amusing Law of Benford

Principles of Complex Systems


CSYS/MATH 300, Spring, 2013 | #SpringPoCS2013

Benford's Law

References

Prof. Peter Dodds
@peterdodds

Department of Mathematics & Statistics | Center for Complex Systems |
Vermont Advanced Computing Center | University of Vermont



Licensed under the *Creative Commons Attribution-NonCommercial-ShareAlike 3.0 License*.

Outline

Benford's Law

References

Benford's Law

References



The law of first digits

Benford's Law: (田)



$$P(\text{first digit} = d) \propto \log_b \left(1 + \frac{1}{d} \right)$$

for certain sets of ‘naturally’ occurring numbers in base b

- ▶ Around 30.1% of first digits are ‘1’, compared to only 4.6% for ‘9’.
- ▶ First observed by Simon Newcomb [2] in 1881 “Note on the Frequency of Use of the Different Digits in Natural Numbers”
- ▶ Independently discovered in 1938 by Frank Benford (田).
- ▶ Newcomb almost always noted but Benford gets the stamp.

Benford's Law

References

Benford's Law—The Law of First Digits

Benford's law

Benford's Law

References


Observed for

- ▶ Fundamental constants (electron mass, charge, etc.)
 - ▶ Utility bills
 - ▶ Numbers on tax returns (ha!)
 - ▶ Death rates
 - ▶ Street addresses
 - ▶ Numbers in newspapers
-
- ▶ Cited as evidence of fraud (✉) in the 2009 Iranian elections.



Benford's Law

Real data:



From 'The First-Digit Phenomenon' by T. P. Hill (1998) [1]

Benford's Law

References


Benford's Law

Benford's law

Physical constants of the universe:

Benford's Law

References




Taken from [here](#) (⊕).

Benford's Law

Benford's law

Population of countries:



Taken from [here](#) (⊕).

Benford's Law

References

Essential story

Benford's Law

References

$$P(\text{first digit} = d) \propto \log_b \left(1 + \frac{1}{d} \right)$$

$$\propto \log_b \left(\frac{d+1}{d} \right)$$

$$\propto \log_b (d+1) - \log_b (d)$$


- ▶ Observe this distribution if numbers are distributed uniformly in log-space:

$$P(\ln x) d(\ln x) \propto 1 \cdot d(\ln x) = x^{-1} dx$$

- ▶ Power law distributions at work again...
- ▶ Extreme case of $\gamma \simeq 1$.


Benford's law

Benford's law




Benford's Law

References



Taken from [here](#) (⊕).

References I

 Benford's Law

References

- [1] T. P. Hill.
The first-digit phenomenon.
[American Scientist, 86:358–, 1998.](#)
- [2] S. Newcomb.
Note on the frequency of use of the different digits in natural numbers.
[American Journal of Mathematics, 4:39–40, 1881.](#)

[pdf \(田\)](#)