Mechanisms for Generating Power-Law Size Distributions, Part 4

Last updated: 2023/08/22, 11:48:21 EDT

Principles of Complex Systems, Vols. 1, 2, & 3D CSYS/MATH 6701, 6713, & a pretend number, 2023-2024 | @pocsvox

Prof. Peter Sheridan Dodds | @peterdodds

Computational Story Lab | Vermont Complex Systems Center Santa Fe Institute | University of Vermont



Licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 License

Outline

Optimization

Minimal Cost Mandelbrot vs. Simon **Assumptions** Model **Analysis** And the winner is ...?

Nutshell

References

Benoît Mandelbrot



- Mandelbrot = father of fractals
- Mandelbrot = almond bread
- Bonus Mandelbrot set action: here .

Another approach: Power-Law Mechanisms, Pt. 4

Optimization Minimal Cost

Analysis Nutshell References

Power-Law

Optimization

Assumptions

Nutshell

The PoCSverse

5 of 46

Optimization

Minimal Cost

Nutshell

Mechanisms, Pt. 4

Mechanisms, Pt. 4

Benoît Mandelbrot

- Derived Zipf's law through optimization [8]
- & Idea: Language is efficient
- Communicate as much information as possible for
- \aleph Need measures of information (H) and average cost (C)...
- & Language evolves to maximize H/C, the amount of information per average cost.
- & Equivalently: minimize C/H.
- Recurring theme: what role does optimization play in complex systems?

The Quickening —Mandelbrot v. Simon:

There Can Be Only One:



- A Things there should be only one of: Theory, Highlander Films.
- your head (funding remains tight).

We were born to be Princes of the Universe





Mandelbrot vs. Simon:

- Amandelbrot (1953): "An Informational Theory of the Statistical Structure of Languages" [8]
- Simon (1955): "On a class of skew distribution functions" [14]
- Mandelbrot (1959): "A note on a class of skew distribution functions: analysis and critique of a paper by H.A. Simon" [9]
- Simon (1960): "Some further notes on a class of skew distribution functions" [15]

I have no rival, No man can be my equal





References

Power-Law Mechanisms, Pt. 4

Optimization

Mandelbrot vs. Simon:

- Amandelbrot (1961): "Final note on a class of skew distribution functions: analysis and critique of a model due to H.A. Simon" [10]
- Simon (1961): "Reply to 'final note' by Benoit Mandelbrot" [17]
- Amandelbrot (1961): "Post scriptum to 'final note" [11]
- Simon (1961): "Reply to Dr. Mandelbrot's post scriptum" [16]

I am immortal, I have inside me blood of kings

Mandelbrot:

"We shall restate in detail our 1959 objections to Simon's 1955 model for the Pareto-Yule-Zipf distribution. Our objections are valid quite irrespectively of the sign of p-1, so that most of Simon's (1960) reply was irrelevant." [10]

Simon:

"Dr. Mandelbrot has proposed a new set of objections to my 1955 models of the Yule distribution. Like his earlier objections, these are invalid." [17]

Power-Law Mechanisms, Pt. 4 12 of 46

Optimization Mandelbrot vs. Simor

Analysis

Nutshell

References

The PoCSverse Mechanisms, Pt. 4

Power-Law Mechanisms, Pt. 4

Optimization

Minimal Cost

Nutshel

References

Power-Law Mechanisms, Pt. 4

Optimization

Analysis

Nutshell

References

Mandelbrot vs. Simon

Optimization Mandelbrot vs. Simor

Nutshell

References

Two theories enter, one theory leaves:

The PoCSverse Mechanisms, Pt. 4 13 of 46 Optimization

Mandelbrot vs. Simor

Nutshell

Zipfarama via Optimization:

Mandelbrot's Assumptions:

- \mathbb{A} Language contains n words: w_1, w_2, \dots, w_n .
- ith word appears with probability p_i
- Words appear randomly according to this distribution (obviously not true...)
- Words = composition of letters is important
- Alphabet contains m letters
- Words are ordered by length (shortest first)

Zipfarama via Optimization: Power-Law Mechanisms, Pt. 4

Total Cost C

Optimization

Assumptions Model Analysis

References

Power-Law Mechanisms, Pt. 4

Assumptions Model

- \mathfrak{S} Cost of the *i*th word: $C_i \simeq 1 + \log_m i$
- Cost of the ith word plus space:
- $C_i \simeq 1 + \log_m(i+1)$
- Subtract fixed cost: $C'_i = C_i 1 \simeq \log_m(i+1)$
- Simplify base of logarithm:

$$C_i' \simeq \log_m(i+1) = \frac{\log_e(i+1)}{\log_e m} \propto \log_e(i+1)$$

Total Cost:

$$C \sim \sum_{i=1}^n p_i C_i' \propto \sum_{i=1}^n p_i \log_e(i+1)$$

Zipfarama via Optimization:

References

Power-Law Mechanisms, Pt. 4

Optimization

References

Optimization

Power-Law Mechanisms, Pt. 4

Minimize

$$F(p_1,p_2,\dots,p_n)=C/H$$

subject to constraint

$$\sum_{i=1}^{n} p_i = 1$$

A Tension:

- (1) Shorter words are cheaper
- (2) Longer words are more informative (rarer)

Zipfarama via Optimization:

Word Cost

- & Length of word (plus a space)
- Word length was irrelevant for Simon's method

Objection

Real words don't use all letter sequences

Objections to Objection

- A Maybe real words roughly follow this pattern (?)
- Words can be encoded this way
- Na na na-na naaaaa...

Zipfarama via Optimization:

Information Measure

Use Shannon's Entropy (or Uncertainty):

$$H = -\sum_{i=1}^n p_i \mathsf{log}_2 p_i$$

- (allegedly) von Neumann suggested 'entropy'...
- Proportional to average number of bits needed to encode each 'word' based on frequency of occurrence
- $-\log_2 p_i = \log_2 1/p_i$ = minimum number of bits needed to distinguish event i from all others
- \Re If $p_i = 1/2$, need only 1 bit (log₂1/ $p_i = 1$)
- \Re If $p_i = 1/64$, need 6 bits (log₂1/ $p_i = 6$)

Zipfarama via Optimization:

Time for Lagrange Multipliers:

Minimize

 $\Psi(p_1, p_2, \dots, p_n) =$ $F(p_1, p_2, \dots, p_n) + \lambda G(p_1, p_2, \dots, p_n)$

where

$$F(p_1, p_2, \dots, p_n) = \frac{C}{H} = \frac{\sum_{i=1}^n p_i \mathsf{log}_e(i+1)}{-g \sum_{i=1}^n p_i \mathsf{log}_e p_i}$$

and the constraint function is

$$G(p_1,p_2,\dots,p_n) = \sum_{i=1}^n p_i - 1 (=0)$$

Insert assignment question

Zipfarama via Optimization:

Binary alphabet plus a space symbol

i	1	2	3	4	5	6	7	8
word	1	10	11	100	101	110	111	1000
length	1	2	2	3	3	3	3	4
$1 + \log_2 i$	1	2	2.58	3	3.32	3.58	3.81	4

- \mathfrak{S} Word length of 2^k th word: $= k + 1 = 1 + \log_2 2^k$
- $\red {8}$ Word length of ith word $\simeq 1 + \log_2 i$
- \clubsuit For an alphabet with m letters, word length of *i*th word $\simeq 1 + \log_m i$.

Zipfarama via Optimization: Mechanisms, Pt. 4

Nutshell

References

Information Measure

Use a slightly simpler form:

$$H = -\sum_{i=1}^n p_i \mathrm{log}_e p_i / \mathrm{log}_e 2 = -g \sum_{i=1}^n p_i \mathrm{log}_e p_i$$

where $q = 1/\log_{2} 2$

Zipfarama via Optimization:

Some mild suffering leads to:



Nutshell References

Power-Law Mechanisms, Pt. 4

Optimization

Model

 $p_{j} = e^{-1-\lambda H^{2}/gC}(j+1)^{-H/gC} \propto (j+1)^{-H/gC}$

 $\mbox{\&}$ A power law appears [applause]: $\alpha = H/gC$

 \aleph Next: sneakily deduce λ in terms of q, C, and H.

Find

 $p_j = (j+1)^{-H/gC}$

Power-Law Mechanisms, Pt. 4 Ontimization

Power-Law Mechanisms, Pt. 4

Optimization

References

Assumptions Analysis

References

Power-Law Mechanisms, Pt. 4

Optimization Assumptions

Zipfarama via Optimization:

Finding the exponent

Now use the normalization constraint:

$$1 = \sum_{j=1}^n p_j = \sum_{j=1}^n (j+1)^{-H/gC} = \sum_{j=1}^n (j+1)^{-\alpha}$$

- $As n \to \infty$, we end up with $\zeta(H/qC) = 2$ where ζ is the Riemann Zeta Function
- Sives $\alpha \simeq 1.73$ (> 1, too high) or $\gamma = 1 + \frac{1}{\alpha} \simeq 1.58$ (very wild)
- \clubsuit If cost function changes $(j+1 \rightarrow j+a)$ then exponent is tunable
- A Increase a, decrease α

Zipfarama via Optimization:

All told:

- Reasonable approach: Optimization is at work in evolutionary processes
- But optimization can involve many incommensurate elephants: monetary cost, robustness, happiness,...
- Mandelbrot's argument is not super convincing
- & Exponent depends too much on a loose definition of cost

Power-Law Mechanisms, Pt. 4

The PoCSverse

Optimization

Analysis And the w

Power-Law Mechanisms, Pt. 4

Optimization Assumptions

Analysis Nutshell

More:

one."

Reconciling Mandelbrot and Simon

Mixture of local optimization and randomness

From the discussion at the end of Mandelbrot's

A. S. C. Ross: "M. Mandelbrot states that 'the

actual direction of evolution (sc. of language) is, in

fact, towards fuller and fuller utilization of places'.

We are, in fact, completely without evidence as to

language, and it is axiomatic that we shall remain

so. Many philologists would deny that a 'direction

of evolution' could be theoretically possible; thus I

units being the least possible differences between

pairs of utterances' this is a logical consequence of

the fact that two is the least integer greater than

myself take the view that a language develops in

what is essentially a purely random manner."

A Mandelbrot: "As to the 'fundamental linguistic

the existence of any 'direction of evolution' in

- Numerous efforts...
- 1. Carlson and Doyle, 1999: Highly Optimized Tolerance (HOT)—Evolved/Engineered Robustness [2, 3]
- 2. Ferrer i Cancho and Solé, 2002: Zipf's Principle of Least Effort [6]
- 3. D'Souza et al., 2007: Scale-free networks [4]

Power-Law Mechanisms, Pt. 4

The PoCSverse

Optimization

Analysis
And the winner is...

Nutshell

References

Minimal Cost

Power-Law Mechanisms, Pt. 4

Optimization Minimal Cost Assumptions

Analysis And the w Nutshell

References

INTRODUCTION

The Psycho-Biology of Language is not calculated to please every taste. Zipf was the kind of man who would take roses apart to count their petals; if it violates your sense of values to tabulate the different words in a Shakespearean sonnet, this is not a book for you. Zipf took a scientist's view of language - and for him that meant the statistical analysis of language as a biological, psychological, social process. If such analysis repels you, then leave your language alone and avoid George Kingsley Zipf like the plague. You will be much happier reading Mark Twain: "There are liars, damned liars, and statisticians." Or W. H. Auden: "Thou shalt not sit with statisticians nor commit a social science."

However, for those who do not flinch to see beauty murdered in a good cause, Zipf's scientific exertions yielded some wonderfully unexpected results to boggle the mind and tease the imagination. Language is - among other things - a biological, psychological, social process; to apply statistics to it merely acknowledges its essential unpredictability, without which it would be useless. But who would have thought that in the very heart of all the freedom language allows us Zipf would find an invariant as solid and reliable as the law of gravitation?

> Put it this way. Suppose that we acquired a dozen monkeys and chained them to typewriters until they had pro-duced some very long and random sequence of characters. Suppose further that we defined a "word" in this monkeytext as any sequence of letters occurring between successive spaces. And suppose finally that we counted the occurrences of these "words" in just the way Zipf and others counted the occurrences of real words in meaningful texts. When we plot our results in the same manner, we will find exactly the same "Zipf curves" for the monkeys as for the human authors. Since we are not likely to argue that the poor monkeys were searching for some equilibrium between uniformity and diversity in expressing their ideas, such explanations seem equally inappropriate for human authors.

> A mathematical rationalization for this result has been provided by Benoit Mandelbrot. The crux of it is that if we assume that word-boundary markers (spaces) are scattered randomly through a text, then there will necessarily be more occurrences of short than long words. Add to this fact the further observation that the variety of different words available increases exponentially with their length and the phenomenon Zipf reported becomes inescapable: a few short words will be used an enormous number of times while a vast number of longer words will occur infrequently

> So Zipf was wrong. His facts were right enough, but not his explanations. In a broader sense he was right, however, for he called attention to a stochastic process that is frequently seen in the social sciences, and by accumulating sta-tistical data that cried out for some better explanation he challenged his colleagues and his successors to explore an important new type of probability distribution. Zipf belongs among those rare but stimulating men whose failures are more profitable than most men's successes.

Power-Law Mechanisms, Pt. 4 33 of 46

The PoCSverse

Power-Law Mechanisms, Pt. 4 32 of 46

Optimization

Minimal Cost

Analysis And the v

Nutshell


References

Optimization Minimal Cost Assumptions

Analysis

Nutshell

References



The PoCSverse Mechanisms, Pt. 4

Optimization Analysis

Nutshell

More

Other mechanisms:

- Much argument about whether or not monkeys typing could produce Zipf's law... (Miller, 1957)^[12]
- Miller gets to slap Zipf rather rudely in an introduction to a 1965 reprint of Zipf's "Psycho-biology of Language" [13, 18]
- Let us now slap Miller around by simply reading his words out (see next slides):









- Side note: Miller mentions "Genes of Language."
- Still fighting: "Random Texts Do Not Exhibit the Real Zipf's Law-Like Rank Distribution" [5] by Ferrer-i-Cancho and Elvevåg, 2010.

So who's right?

Optimization Minimal Cost

Nutshell

The PoCSverse

Mechanisms, Pt. 4

References

Bornholdt and Ebel (PRE), 2001:

"World Wide Web scaling exponent from Simon's 1955 model" [1].

- Show Simon's model fares well.
- Recall ρ = probability new flavor appears.
- Alta Vista crawls in approximately 6 month period in 1999 give $\rho \simeq 0.10$
- \Leftrightarrow Leads to $\gamma = 1 + \frac{1}{1-\rho} \simeq 2.1$ for in-link distribution.
- & Cite direct measurement of γ at the time: 2.1 ± 0.1 and 2.09 in two studies.

The PoCSverse Mechanisms, Pt. 4 34 of 46

Optimization Minimal Cost Assumptions

Analysis

Nutshell

So who's right?

Recent evidence for Zipf's law...




FIG. 1 (color online). (Color Online) Log-log plot of the number of packages in four Debian Linux Distributions with more than C indirected links. The four Debian Linux Distributions are Woody (19.07.2002) (orange diamonds), Sarge (66.05.2005) (green crosses). Eicht (15.08.2007) (blue circles), Lenny (15.12.2007) (blue L+'s). The innest shows the maximum likeliholos clintael (MLD for the exponent a together and the color of the co maximum incentioned estimate (ILL) of the exponent μ together with two boundaries defining its 95% confidence interval (approximately given by 1 = 2J/n, where n is the number of data opinits using in the MLE, as a function of the lower threshold. The MLE has been modified from the standard Hill estimator to take into account the discreteness of C.

Maillart et al., PRL, 2008: "Empirical Tests of Zipf's Law Mechanism in Open Source Linux Distribution" [7]

Power-Law Mechanisms, Pt. 4

Optimization

Nutshell:

So who's right?

- Simonish random 'rich-get-richer' models agree in detail with empirical observations.
- Power-lawfulness: Mandelbrot's optimality is still apparent.
- Optimality arises for free in Random Competitive Replication models.

References III Power-Law Mechanisms, Pt. 4

Optimization Minimal Cost And the winner is...

Nutshell References

[7] T. Maillart, D. Sornette, S. Spaeth, and G. von Empirical tests of Zipf's law mechanism in open

source Linux distribution. Phys. Rev. Lett., 101(21):218701, 2008. pdf

B. B. Mandelbrot.

An informational theory of the statistical structure of languages. In W. Jackson, editor, Communication Theory, pages 486-502. Butterworth, Woburn, MA, 1953. pdf 🖸

[9] B. B. Mandelbrot.

A note on a class of skew distribution function. Analysis and critique of a paper by H. A. Simon. Information and Control, 2:90-99, 1959.

So who's right?




FIG 1 (color online) (Color Online) Log-log plot of the FIG. 1 (cotor onime). (Cotor Unime) Log-tog piot of the number of packages in four Debtan Linux Distributions with more than C in-directed links. The four Debtan Linux Distributions are Woody (1907/2002) (corage diamonds), Sarge (66/62/2005) (green crosses), Etch (15.08/2007) (blue circles), Lenny (5.12/2007) (black+*s). The inset shows the maximum likelihood estimate (MLE) of the exponent μ together with two boundaries defining its 95% confidence interval (approximately given by $1 \pm 2/\sqrt{n}$, where n is the number of data point using in the MLE), as a function of the lower threshold.

10000 The MLE has been modified from the standard Hill estimator to take into account the discreteness of C.

Maillart et al., PRL, 2008: "Empirical Tests of Zipf's Law Mechanism in Open Source Linux Distribution" [7]

References I Power-Law Mechanisms, Pt. 4

Optimization Assumptions

Nutshell

Optimization

Analysis

Nutshell

[1] S. Bornholdt and H. Ebel. World Wide Web scaling exponent from Simon's 1955 model. Phys. Rev. E, 64:035104(R), 2001. pdf

[2] J. M. Carlson and J. Doyle. Highly optimized tolerance: A mechanism for power laws in designed systems. Phys. Rev. E, 60(2):1412-1427, 1999. pdf

[3] J. M. Carlson and J. Doyle. Complexity and robustness. Proc. Natl. Acad. Sci., 99:2538–2545, 2002. pdf

References IV

[10] B. B. Mandelbrot.

Analysis Nutshell

Power-Law

Optimization

Minimal Cost

Mechanisms, Pt. 4

References

Final note on a class of skew distribution functions: analysis and critique of a model due to H. A. Simon. Information and Control, 4:198–216, 1961.

[11] B. B. Mandelbrot. Post scriptum to 'final note'. Information and Control, 4:300-304, 1961.

[12] G. A. Miller. Some effects of intermittent silence. American Journal of Psychology, 70:311–314, 1957. pdf 🖸

Power-Law Mechanisms, Pt. 4

The PoCSverse

Power-Law Mechanisms, Pt. 4 43 of 46

Optimization

Minimal Cost

Analysis

Nutshell

References

Optimization Minimal Cost Assumptions

Nutshell

References

So who's right?




FIG. 2. Left panel: Plots of ΔC versus C from the Etch release (15.08.2007) to the latest Lenny version (05.05.2008) in double logarithmic scale. Only positive values are displayed. The linear regression $\Delta C = R \times C + C_0$ is significant at the 95% confidence level, with a small value $C_0 = 0.3$ at the origin and R =0.09. Right panel: same as left panel for the standard deviation of

Rough, approximately linear relationship between C number of in-links and ΔC .

The PoCSverse References II Mechanisms, Pt. 4

[4] R. M. D'Souza, C. Borgs, J. T. Chayes, N. Berger, and R. D. Kleinberg. Emergence of tempered preferential attachment from optimization. Proc. Natl. Acad. Sci., 104:6112–6117, 2007. pdf

- [5] R. Ferrer-i-Cancho and B. Elvevåg. Random texts do not exhibit the real Zipf's law-like rank distribution. PLoS ONE, 5:e9411, 03 2010.
- [6] R. Ferrer-i-Cancho and R. V. Solé. Zipf's law and random texts. Advances in Complex Systems, 5(1):1-6, 2002.

The PoCSverse Mechanisms, Pt. 4

Optimizatio Minimal Cost

References

References V

[13] G. A. Miller. Introduction to reprint of G. K. Zipf's "The Psycho-Biology of Language." MIT Press, Cambridge MA, 1965. pdf

[14] H. A. Simon. On a class of skew distribution functions. Biometrika, 42:425–440, 1955. pdf

[15] H. A. Simon. Some further notes on a class of skew distribution functions. Information and Control, 3:80-88, 1960.

[16] H. A. Simon. Reply to Dr. Mandelbrot's post scriptum. Information and Control, 4:305-308, 1961. The PoCSverse Mechanisms, Pt. 4

Optimization Assumptions

Nutshell References

References VI

[17] H. A. Simon. Reply to 'final note' by Benoît Mandelbrot. Information and Control, 4:217–223, 1961.

[18] G. K. Zipf.

The Psycho-Biology of Language.

Houghton-Mifflin, New York, NY, 1935.

The PoCSverse Power-Law Mechanisms, Pt. 4 46 of 46

Optimization Minimal Cost
Mandelbrot vs. Simon
Assumptions
Model
Analysis
And the winner is...? Nutshell