North American host tree response to Amylostereum areolatum, the fungal symbiont of the woodwasp Sirex noctilio **Sarah Pears**

Advisor: Kimberly Wallin

Sirex noctilio Fabricus (Hymenoptera: Siricidae), a wood-boring wasp native to Europe, western Asia, and northern Africa is now considered established in New York, Pennsylvania, Michigan, New Hampshire, and southern Quebec. A single S. noctilio adult was found in Vermont in 2007. S. noctilio together with its obligate symbiotic fungi, Amylostereum areolatum will likely negatively affect populations of North American pines, as these species are the preferred hosts of the wasp. Female S. noctilio deposit spores of A. areolatum in a host tree during oviposition. The fungus then grows, serving as food for the wasp larvae and eventually killing the tree. It is unknown how vigorous and stressed pines respond to and defend against the fungus. The purpose of this study is to simulate S. noctilio attack and evaluate the interaction between conifer hosts and A. areolatum. Overall physiological response in white pine (*Pinus strobus*) and red pine (*P. resinosa*), particularly tree defense mechanisms deployed against A. areolatum are quantified. Information collected during this study will further understanding of the impacts that S. noctilio will have on North American forests, identify signs and symptoms of attack, and will support the development of silvicultural practices that minimize damage caused by *S. noctilio*.