



The
UNIVERSITY
of VERMONT

Vermont Legislative Research Shop

Pharmaceutical Residues in the Water

The improper disposal of pharmaceutical waste products has caused several harmful effects on the environment. Studies performed on *Acinetobacter* samples revealed that bacteria exposed to increased concentrations of pharmaceutical waste are more likely to become anti-biotic resistant (Guardabassi et al, 2008.). In Canada, male minnows exposed to low levels of estrogen experienced feminization and became inter-sexed, producing both sperm and eggs (Kidd, 2007). Similarly, a Florida alligator population exposed to pharmaceutical waste experienced hormonal abnormalities that affected their reproductive development (Guillette *et al*, 1994). Similar effects could cause long-term damage to Vermont's ecological resources; however, the Environmental Protection Agency and Food and Drug Administration have found no evidence to date of any human health concerns related to pharmaceutical waste residues (see US Food and Drug Administration and US Environmental Protection Agency in "Works Cited" below).

Waste Accumulation

Waste effluents enter water sources through several pathways. When a medication is not completely absorbed in the body, it is released by a patient in his/her waste (Christenson, 2008). It then enters the sewer system; however, modern sewer systems do not possess the technology needed to breakdown organic waste, including pharmaceutical products. Additionally, many individuals are left with excess medications either because they no longer feel they need to take them, or because their doctor prescribed a dose that was in excess of their need. In this situation, individuals have historically been instructed to flush the medications in the toilet to avoid the accidental poisoning of children or contributing to the illegal drug market. Current federal guidelines maintain that flushing is an improper disposal technique; however, the public has not been made properly aware of this change (US Office of National Drug Control Policy, 2007).

Federal Guidelines

Hospital disposal of pharmaceutical waste is controlled by strict guidelines outlined in the federal Resource Conservation and Recovery Act of 1976 (RCRA). These guidelines divide pharmaceutical waste into several classifications, based on ignitability, toxicity, corrosivity and reactivity (Smith, 2002). The P-list contains the most hazardous medications, including nicotine, epinephrine, and warfarin. These medications must be taken off-site to a certified hazardous waste incinerator for disposal. The U-list contains less hazardous medications that can be

incinerated on-site at a lower temperature before transfer to a landfill. These guidelines, although somewhat confusing, appear to be in line with current recommendations for environmental concerns. Enforcement of RCRA guidelines, however, has been a problem in recent years (Christenson, 2008).

Vermont Policy

Vermont has a handful of small collection services that allow for residents to dispose of their unwanted prescription medications. Starting in May 2008 the St. Alban's City Police Department, authorized by the city, established a Prescription Drug Repository program. Since May the SACPD has collected more than 8,500 unwanted and unused prescription pills from residents (Thompson, 2008). The pills were to be incinerated through the Northwestern Medical Center; however the chief of police refused to hand the pills over after discovering that the waste disposal contractor that the hospital uses, National Waste Management, hauls the waste out of state, compromising the integrity of appropriate disposal. The pills are currently locked away in SACPD's evidence vault. The program has inspired other towns to take similar action. Burlington created their own drug repository program in October 2008 to deal with unwanted prescription drugs (Burlington Police Department, 2008).

Northeast Recycling Council

The Northeast Recycling Council (NERC), a non-profit organization, took interest in proper drug disposal and collection within the state. In 2006 they conducted, with funding from the EPA, several pilot collections in the northeast, including one in Rutland, VT. Following the collections the Council disposed of the collected materials through Stericycle, a private company, which incinerates the substances in a federally licensed waste incinerator (Rubinstein, 2006).

Table 1 shows the results of the NERC's pilot projects. The amount collected was consistent across locations with each person bringing in approximately one gallon of uncontrolled substances. The percentage of controlled substances collected averaged 4% of the total waste collected at each event ranging from a low of 1% to a high of 17%. The turnout for these pilot programs, however, was relatively low. If looked at separately, collections held in conjunction with health and hazardous waste (HHW) events collected a significant amount more than stand alone collections. This can be attributed to the public's familiarity with HHW events as opposed to the NERC's relatively unknown collections. Table 1 displays that collections held in conjunction with HHW events collected nearly 1.25 gallons per person of uncontrolled substances compared to .7 gallons per person collected at stand alone events (NERC, 2006).

Table 1: Results of the Northeast Recycling Pilot Projects				
Pilot Location	Number of Participants	Average Volume (Gallons) per Participant Non-Controlled Substance	Average Cost per Gallon Destruction of Non-Controlled Substance	Hazardous Waste Transportation Fee
Montague, MA*	6	0.8	\$30	\$350
S. Portland, ME*	51	0.7	\$24	\$250
Northampton, MA*	14	0.4	\$20	\$350
South Hadley, MA**	22	1.4	\$13	\$0
Wilbraham, MA**	18	1.4	\$12	\$0
Buckland, MA**	6	1.3	\$14	\$350
Rutland, VT*	28	1.1	\$17	\$225
Wolfeboro, NH**	27	0.7	\$7	\$0
AVERAGE	21.5	0.97	\$17	\$191
Stand-alone collection* With HHW event**				

Source: Rubinstein, Lynn. Operating Unwanted Medication Collections-. Rep. Northeast Recycling Center 2006

Types of Collection Programs

Standards for safe pharmaceutical waste disposal in other states have focused on consumers' actions as well as procedural standards in hospitals, nursing homes and other health care facilities. Other states have implemented programs for safe and environmentally friendly disposal alternatives to flushing of medications in the home. These include continuous drop off, single day, and mail-back programs.

Continuous drop off

Fourteen states, including Arizona, Maryland, and New Jersey, have implemented programs that allow consumers to dispose of unwanted, expired or unused non-controlled substance medications—prescription or over the counter—to pharmacies, health clinics and other county facilities. Controlled substances can not be collected at pharmacies or hospitals, but can be collected at local law enforcement agencies. Pharmaceuticals collected that are unopened, unused and are not expired can be donated to charitable organizations, healthcare facilities or patients who meet specific guidelines (Cauchi, 2008). The pharmaceuticals collected that are not eligible for reuse are eventually shipped to a hazardous waste facility where they are incinerated.

Take-away programs are limited to small-scale and part-time operations in the United States. Local Environmental Protection Departments, health departments, pharmacies, sheriff's offices, Drug Enforcement Administrations and health care facilities have been involved in organizing and funding programs for the collection of pharmaceuticals (Hinchey-Mallory, 2007). Regional and national operations have been initiated in Canada and Europe to allow all patients to have full-time access to a take-away site. In Canada, take-away programs have allowed

physicians to determine which patients are most likely to follow dosing instructions, and has allowed for the reevaluation of initial prescription levels. This has reduced the amount of consumer waste produced (Christenson, 2008).

Single Day Collections

Similar to continuous drop off programs, Utah and Nebraska have designated certain days for the collecting of unused, unwanted or unneeded medications. These days are publicized in the local media and drop off sites are supervised by local law enforcement officials to prevent the misuse or illegal sale of drugs. On the collection day, medications are collected at pharmacies, shipped to a hazardous waste facility and incinerated. In 2005, South Portland, Maine had a one day take back event sponsored by the North East Recycling Council. On this day, 50 gallons of medications from 52 people from 17 Maine communities, which was credited with preventing more than 55,000 pills from entering the waters and helped educate consumers about the importance for proper disposal of medical waste (Hinchey-Mallory, 2007).

Mail-back Program

In 2004, Maine House Representative Bromley, of South Portland, Maine proposed House bill L.D. 1826 entitled "An Act to Ensure the Proper Disposal of Expired Pharmaceuticals". This bill created the Unused Pharmaceutical Disposal Program to allow residents to mail unused or expired medications to the Maine Drug Enforcement Agency. The bill stated that pre-paid envelopes addressed to the Maine DEA be made available at local pharmacies, physicians' offices and post offices. The DEA would collect the medications, which were then sent to incineration plants. The bill allowed for the director Maine's DEA to accept funding for private sources for the program, but public funding was not authorized (Northwest Product Stewardship Council, 2009). L.D. 1826 was passed in the Maine house and senate and signed by Governor Baldacci but has not gone into effect due to a lack of funding from private sources.

Conclusion

The research conducted for this report suggests that a comprehensive solution to the pharmaceutical waste problem would involve increasing the pressure on hospitals and pharmacies to conform to current federal guidelines and increasing patient awareness of the growing problem of water contamination from pharmaceutical waste, in addition to an organized program for proper disposal, such as a take-away or reuse program.

Works Cited

- Burlington Police Department. "Prescription Drug Repository Program." Press release. 6 Oct. 2008. Accessed 29 Jan. 2009
<http://www.bpdvt.org/Informational%20Resources/Prescription%20Drug%20Repository%20Program---Press%20Release%20&%20Flyer.pdf>>
- Cauchi, Richard. "State Prescription Return, Reuse and Recycling Laws" National Conference of State Legislatures 12/1/2008. Accessed 10 February 2009
<http://www.ncsl.org/programs/health/Rx-Reuse.htm>
- Christensen, Teirney. "Fish on Morphine: Protecting Wisconsin's Natural Resources Through a Comprehensive Plan for Proper Disposal of Pharmaceuticals." *Wisconsin Law Review* 2008 (2008): 142-62.
- Environmental Protection Agency, US. "Frequently Asked Questions" *Pharmaceuticals and Personal Care Products*. Accessed 10 Feb. 2009 <http://epa.gov/ppcp/faq.html>
- Food and Drug Administration, US. "How to Dispose of Unused Medications." 23 June 2008. Accessed 10 Feb. 2009
http://www.fda.gov/consumer/updates/drug_disposal062308.html
- Guardabassi, Luca, Andreas Peterson, John E. Olsen, and Anders Dalsgaard. "Antibiotic Resistance in *Acinetobacter* spp. Isolated from Sewers Receiving Waste Effluents from a Hospital and a Pharmaceutical Plant." *Applied and Environmental Microbiology* 64 (1998): 3499-502.
- Guillette, Louis J., Timothy S. Gross, Greg R. Masson, John M. Matter, and H. F. Percival. "Developmental Abnormalities of the Gonad and Abnormal Sex Hormone Concentrations in Juvenile Alligators from Contaminated and Control Lakes in Florida." *Environmental Health Perspectives* 102 (1994). Accessed 10 Feb. 2009
<http://www.ehponline.org/members/1994/102-8/guillette-full.html>
- Hinchey-Mallory, Elizabeth and Susan Boehme. "Unwanted Medicine Take-back Programs" *Disposal of Unwanted Medications: A Resource for Action in Your Community*. Illinois-Indiana Sea Grant Program. June 20, 2007. Accessed 10 February 2009
<http://www.iisgcp.org/unwantedmeds/>
- Kidd, Karen A. "Collapse of a fish population after exposure to a synthetic estrogen." *Proceedings of the National Academy of Sciences of the United States of America* 104 (2007): 8897-901. Accessed 10 Feb. 2009
<http://www.pnas.org/content/104/21/8897.full>

Maine State Legislature. L.D. 1826 An Act to Encourage the Proper Disposal of Expired Pharmaceuticals. Sponsored by Senator Lynn Bromley. Introduced 1/8/2004. Accessed 10 February 2009

<http://janus.state.me.us/legis/LawMakerWeb/externalsiteframe.asp?ID=280012218&LD=1826&Type=1&SessionID=5>

Northwest Product Stewardship Council. "Pharmaceuticals and Product Stewardship: Other U.S. Programs" Updated 1/23/2009. Accessed 10 February 2009

<http://www.productstewardship.net/productsPharmaceuticalsOtherUS.html>

Office of National Drug Control Policy. February 2007. "Proper Disposal of Prescription Drugs". Accessed 10 February 2009

http://www.whitehousedrugpolicy.gov/publications/pdf/prescrip_disposal.pdf

Pines, Eydie and Charlotte Smith. "Managing Pharmaceutical Waste" Hospitals for a Healthy Environment April 15, 2006. Accessed 10 February 2009

<http://www.h2e-online.org/docs/h2epharmablueprint41506.pdf>

Rubinstein, Lynn (2006, September). Operating Unwanted Medication Collections- A Legal and Safe Approach. Accessed January 29, 2009

http://www.nerc.org/documents/operating_unwanted_medication_collections_final_2006.pdf

Smith, Charlotte A. "Managing Pharmaceutical Waste." *Journal of the Pharmacy Society of Wisconsin* (2002): 17-22

Thompson, Leon (2008, September 17). St. Albans Launches Prescription-Drug Collection Program. *7 Days*

Compiled at the request of Representative Peter Fagan by Lindsay Cyr, Timothy Douglas and Mikaela Frissell under the supervision of Professor Anthony Gierzynski on February 12, 2009.

Disclaimer: This report has been prepared by undergraduate students at the University of Vermont under the supervision of Professor Anthony Gierzynski. The material contained in the report does not reflect the official policy of the University of Vermont.