

Revision Date: 04-26-2018

SAFETY DATA SHEET

According to US Regulation 29 CFR 1910.1200 (HazCom 2012)

1. Identification

Product identifier: Hydrochloric Acid (10 - 33%)

Other means of identification

Product No.: 0319, 0323, 0327, 0347, 0365, 2608, 4654, 4657, 5618, 5619.

BS12, H151, H168

Recommended restrictions

Recommended use: For Laboratory, Research or Manufacturing Use.

Restrictions on use: Not determined.

Details of the supplier of the safety data sheet

Manufacturer

Company Name: Avantor Performance Materials, LLC.

Address: 3477 Corporate Parkway

Center Valley, PA 18034

Telephone: Customer Service: 855-282-6867

Fax: 610-573-2610

Contact Person: Environmental Health & Safety E-mail: info@avantormaterials.com

Emergency telephone number:

CHEMTREC: 1-800-424-9300 within US and Canada

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Corrosive to metal Category 1

Health Hazards

Acute toxicity (Oral)

Skin Corrosion/Irritation

Category 4

Serious Eye Damage/Eye Irritation

Specific Target Organ Toxicity
Category 3¹

Category 3¹

Single Exposure

Target Organs

Respiratory tract irritation.

Unknown toxicity - Health

Acute toxicity, oral 0 %
Acute toxicity, dermal 0 %
Acute toxicity, inhalation, vapor 10 %
Acute toxicity, inhalation, dust 10 %

or mist

SDS_US - SDSMIX000516



Revision Date: 04-26-2018

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: May be corrosive to metals.

Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause respiratory irritation.

Precautionary Statements

Prevention: Keep only in original packaging. Wash thoroughly after handling. Do not

breathe dust/mist/vapors. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

Do not eat, drink or smoke when using this product.

Response: IF INHALED: Remove person to fresh air and keep comfortable for

breathing. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Wash contaminated clothing before reuse. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Immediately call a POISON CENTER/doctor.

Storage: Store locked up. Store in a well-ventilated place. Keep container tightly

closed. Store in a corrosion-resistant container with a resistant inner liner.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Hydrochloric acid	7647-01-0	10 - 33%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information: Get medical advice/attention if you feel unwell. Show this safety data sheet

to the doctor in attendance.



Revision Date: 04-26-2018

Ingestion: Call a physician or poison control center immediately. Do not induce

vomiting without advice from poison control center. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach

content doesn't get into the lungs.

Inhalation: Move to fresh air. Call a physician or poison control center immediately. If

breathing is difficult, give oxygen. If breathing stops, provide artificial

respiration.

Skin Contact: Immediately flush with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse.

Destroy or thoroughly clean contaminated shoes.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Call a physician or poison control center

immediately. In case of irritation from airborne exposure, move to fresh air.

Get medical attention immediately.

Most important symptoms/effects, acute and delayed

Symptoms: Causes severe skin and eye burns. Causes digestive tract burns.

Hazards: None known.

Indication of immediate medical attention and special treatment needed

Treatment: Treat symptomatically.

5. Fire-fighting measures

General Fire Hazards: The product is non-combustible. Product is highly acidic.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

The product is non-combustible. Use fire-extinguishing media appropriate

for surrounding materials.

Unsuitable extinguishing

media:

None known.

Specific hazards arising from

the chemical:

Fire may produce irritating, corrosive and/or toxic gases. Product is acidic.

Wear appropriate protective gear if spilled during firefighting.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool. Cool containers exposed to

flames with water until well after the fire is out.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures



Revision Date: 04-26-2018

Personal precautions, protective equipment and emergency procedures: Keep unauthorized personnel away. Keep upwind. Ventilate closed spaces before entering them. Use personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Methods and material for containment and cleaning up:

Neutralize spill area and washings with soda ash or lime. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.

Notification Procedures:

Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Inform authorities if large amounts are involved.

Environmental Precautions:

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling:

Avoid inhalation of vapors and spray mists. Do not get in eyes, on skin, on clothing. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not eat, drink or smoke when using the product. Never add water to acid! Use caution when adding this material to water. Always add acid to water while stirring to prevent release of heat, steam and fumes.

Conditions for safe storage, including any incompatibilities:

Do not store in metal containers. Keep container tightly closed in a cool, well-ventilated place. Store in a dry place.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values		Source
Hydrochloric acid	Ceiling	2 ppm		US. ACGIH Threshold Limit Values (2011)
	Ceil_Time	5 ppm	7 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	Ceiling	5 ppm	7 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	Ceiling	5 ppm	7 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	Ceiling	5 ppm	7 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	AN ESL		5.4 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (03 2014)
	ST ESL		130 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)
	ST ESL		190 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)
	AN ESL		7.9 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (03 2014)
	TWA PEL	0.3 ppm	0.45 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015)
	Ceiling	2 ppm		US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015)



Revision Date: 04-26-2018

Appropriate Engineering

Controls

No data available.

Individual protection measures, such as personal protective equipment

General information: Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions. If applicable, use

process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an

acceptable level. An eye wash and safety shower must be available in the

immediate work area.

Eye/face protection: Wear safety glasses with side shields (or goggles) and a face shield.

Skin Protection

Hand Protection: Chemical resistant gloves

Other: Wear suitable protective clothing and gloves.

Respiratory Protection: If engineering controls do not maintain airborne concentrations below

recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Chemical respirator with acid gas

cartridge.

Hygiene measures: Provide eyewash station and safety shower. Observe good industrial

hygiene practices. Wash contaminated clothing before reuse. Wash hands before breaks and immediately after handling the product. Avoid contact

with eyes, skin, and clothing.

9. Physical and chemical properties

Appearance

Physical state: Liquid
Form: Liquid
Color: Colorless
Odor: Pungent

Odor threshold: No data available.

pH: 0.1 (1 N aqueous solution)

Melting point/freezing point:<= -26 °C</th>Initial boiling point and boiling range:>= 71 °CFlash Point:Not applicableEvaporation rate:As water

Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

Explosive limit - lower (%):

Vapor pressure:

Vapor density:

No data available.

No data available.

No data available.

No data available.

1.95 - 5.5 kPa

No data available.

1.95 - 5.5 kPa

No data available.

Relative density: 1.06 (20 °C)



Revision Date: 04-26-2018

Solubility(ies)

Solubility in water: Soluble

Solubility (other):

Partition coefficient (n-octanol/water):

Auto-ignition temperature:

No data available.

10. Stability and reactivity

Reactivity: Reacts violently with strong alkaline substances.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

Hazardous polymerization does not occur.

Conditions to avoid: Contact with incompatible materials.

Incompatible Materials: Strong bases. Alkalies. Amines. Metals. Oxidizing agents. Reducing

agents.

Hazardous Decomposition

Products:

Chlorine. Hydrogen Chloride. May decompose upon heating to produce

corrosive and/or toxic fumes.

11. Toxicological information

Information on likely routes of exposure

Inhalation: May cause damage to mucous membranes in nose, throat, lungs and

bronchial system.

Skin Contact: Causes severe skin burns.

Eye contact: Causes serious eye damage.

Ingestion: May cause burns of the gastrointestinal tract if swallowed.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: ATEmix (Rat): 2,727.27 mg/kg

Dermal

Product: ATEmix (Rabbit) 4,390.91 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation



Revision Date: 04-26-2018

Product: Causes severe skin burns.

Serious Eye Damage/Eye Irritation

Product: Causes serious eye damage.

Respiratory or Skin Sensitization

Product: Not a skin sensitizer.

Carcinogenicity

Product: This substance has no evidence of carcinogenic properties.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No mutagenic components identified

In vivo

Product: No mutagenic components identified

Reproductive toxicity

Product: No components toxic to reproduction

Specific Target Organ Toxicity - Single Exposure

Product: Respiratory tract irritation.

Specific Target Organ Toxicity - Repeated Exposure

Product: None known.

Target Organs

Specific Target Organ Toxicity - Single Exposure: Respiratory tract irritation.

Aspiration Hazard

Product: Not classified

Other effects: None known.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Hydrochloric acid LC 50 (Western mosquitofish (Gambusia affinis), 96 h): 282 mg/l



Revision Date: 04-26-2018

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Hydrochloric acid LC 50 (Green or European shore crab (Carcinus maenas), 48 h): 240 mg/l

LC 50 (Common shrimp, sand shrimp (Crangon crangon), 48 h): 260 mg/l

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: Expected to be readily biodegradable.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available on bioaccumulation.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: The product is water soluble and may spread in water systems.

Other adverse effects: The product may affect the acidity (pH-factor) in water with risk of harmful

effects to aquatic organisms.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Contaminated Packaging: Since emptied containers retain product residue, follow label warnings even

after container is emptied.

14. Transport information

DOT

UN Number: UN 1789

UN Proper Shipping Name: Hydrochloric acid

Transport Hazard Class(es)

Class: 8
Label(s): 8
Packing Group: II
Marine Pollutant: No



Revision Date: 04-26-2018

Special precautions for user: Not determined.

IMDG

UN Number: UN 1789

UN Proper Shipping Name: HYDROCHLORIC ACID

Transport Hazard Class(es)

Class: 8 Label(s): 8

EmS No.: F-A, S-B

Packing Group: II
Marine Pollutant: No

Special precautions for user: Not determined.

IATA

UN Number: UN 1789

Proper Shipping Name: Hydrochloric acid

Transport Hazard Class(es):

Class: 8
Label(s): 8
Packing Group: II
Marine Pollutant: No

Special precautions for user: Not determined.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity Reportable quantity

Hydrochloric acid 5000 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Corrosive to metal

Acute toxicity (any route of exposure)

Skin Corrosion or Irritation

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 302 Extremely Hazardous Substance

Reportable

<u>Chemical Identity</u> <u>quantity</u> <u>Threshold Planning Quantity</u>

Hydrochloric acid 5000 lbs. 500 lbs.

SARA 304 Emergency Release Notification

<u>Chemical Identity</u> <u>Reportable quantity</u>

Hydrochloric acid 5000 lbs.



Revision Date: 04-26-2018

SARA 311/312 Hazardous Chemical

Chemical Identity Threshold Planning Quantity

Hydrochloric acid 500 lbs.

SARA 313 (TRI Reporting)

Reporting Reporting threshold for

threshold for manufacturing and

Chemical Identityother usersprocessingHydrochloric acid10000 lbs.25000 lbs.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

Chemical Identity Reportable quantity

Hydrochloric acid 5000 lbs.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3):

Chemical Identity Reportable quantity

Hydrochloric acid Reportable quantity: 5000 lbs.

US State Regulations

US. California Proposition 65

No ingredient regulated by CA Prop 65 present.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Hydrochloric acid

US. Massachusetts RTK - Substance List

Chemical Identity

Hydrochloric acid

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Hydrochloric acid

US. Rhode Island RTK

Chemical Identity

Hydrochloric acid

International regulations

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol

Not applicable



Revision Date: 04-26-2018


Inventory Status:

Australia AICS: On or in compliance with the inventory Canada DSL Inventory List: On or in compliance with the inventory EINECS, ELINCS or NLP: On or in compliance with the inventory Japan (ENCS) List: On or in compliance with the inventory China Inv. Existing Chemical Substances: On or in compliance with the inventory On or in compliance with the inventory Korea Existing Chemicals Inv. (KECI): Philippines PICCS: On or in compliance with the inventory US TSCA Inventory: On or in compliance with the inventory New Zealand Inventory of Chemicals: On or in compliance with the inventory Mexico INSQ: On or in compliance with the inventory On or in compliance with the inventory

Taiwan Chemical Substance Inventory:

16.Other information, including date of preparation or last revision

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible COR: Corrosive

Issue Date: 04-26-2018

Revision Information: Not relevant.

Version #: 1.2

Source of information: Sources of information used in preparing this SDS included one or more of

the following: results from in house or supplier toxicology studies, information from the Toxicology Data Network (TOXNET), European Chemical Agency (ECHA) substance dossiers, IARC Monographs, US National Toxicology Program data, the Agency for Toxic Substances and Disease Registry, other

manufacturer's SDSs and other sources, as appropriate.

Further Information: No data available.



Revision Date: 04-26-2018

Disclaimer:

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR PERFORMANCE MATERIALS ("AVANTOR") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of Avantor's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR DISCLAIMS LIABILITY FOR, AND BY USING AVANTOR'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL AVANTOR BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE. PRODUCT RECALL OR BUSINESS INTERRUPTION.