

Revision Date: 01-07-2019

# **SAFETY DATA SHEET**

According to US Regulation 29 CFR 1910.1200 (HazCom 2012)

# 1. Identification

Product identifier: Potassium Hydroxide

Other means of identification

**Synonyms:** Caustic Potash, Potassium Hydrate

**Product No.:** 3116, 3140, 3141, 3146, 3150, 3152, 3794, 6598, 6976, 6984,

7815

**Recommended restrictions** 

Recommended use: For Laboratory, Research or Manufacturing Use.

Restrictions on use: Not determined.

Details of the supplier of the safety data sheet

Company Name: Avantor Performance Materials, LLC

Address: 100 Matsonford Rd, Suite 200

Radnor, PA 19087

Telephone: Customer Service: 855-282-6867

Contact Person: Product Information Compliance E-mail: product Information Compliance info@avantormaterials.com

Emergency telephone number:

CHEMTREC: 1-800-424-9300 within US and Canada

# 2. Hazard(s) identification

# **Hazard Classification**

# **Physical Hazards**

Corrosive to metal Category 1

**Health Hazards** 

Skin Corrosion/Irritation Category 1
Serious Eye Damage/Eye Irritation Category 1
Specific Target Organ Toxicity - Category 3<sup>1</sup>

Single Exposure

**Target Organs** 

1. Respiratory tract irritation.

**Environmental Hazards** 

Acute hazards to the aquatic Category 3

environment

**Label Elements** 

**Hazard Symbol:** 



Revision Date: 01-07-2019



Signal Word: Danger

**Hazard Statement:** May be corrosive to metals.

Causes severe skin burns and eye damage.

May cause respiratory irritation.

Harmful to aquatic life.

Precautionary Statements

**Prevention:** Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective

gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. Keep only in original packaging. Wash hands

thoroughly after handling. Avoid release to the environment.

**Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. IF SWALLOWED: Rinse mouth. Do NOT

induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. Get immediate medical advice/attention. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing.

**Storage:** Store in a corrosion-resistant container with a resistant inner liner. Store

locked up. Store in a well-ventilated place. Keep container tightly closed.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
Potassium hydroxide	1310-58-3	80 - 90%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

## 4. First-aid measures

General information: Get medical advice/attention if you feel unwell. Show this safety data sheet

to the doctor in attendance.

**Ingestion:** Call a physician or poison control center immediately. Do NOT induce

vomiting. If vomiting occurs, keep head low so that stomach content doesn't

get into the lungs.

Inhalation: Move to fresh air. Call a physician or poison control center immediately.

Apply artificial respiration if victim is not breathing If breathing is difficult,

give oxygen.



Revision Date: 01-07-2019

**Skin Contact:** Immediately flush with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse.

Destroy or thoroughly clean contaminated shoes.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Call a physician or poison control center

immediately. In case of irritation from airborne exposure, move to fresh air.

Get medical attention immediately.

Most important symptoms/effects, acute and delayed

**Symptoms:** Causes severe skin and eye burns. Causes digestive tract burns.

Hazards: None known.

Indication of immediate medical attention and special treatment needed

**Treat symptomatically.** Symptoms may be delayed.

5. Fire-fighting measures

**General Fire Hazards:** No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing

media:

None known.

Specific hazards arising from

the chemical:

Fire may produce irritating, corrosive and/or toxic gases.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

Move containers from fire area if you can do so without risk. Use water

spray to keep fire-exposed containers cool.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Keep unauthorized personnel away. Ventilate closed spaces before entering them. Use personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Methods and material for containment and cleaning

up:

Sweep up and place in a clearly labeled container for chemical waste. Clean surface thoroughly to remove residual contamination. Neutralize spill area and washings with dilute acetic acid.

Notification Procedures: Dike for later disposal. Prevent entry into waterways, sewer, basements or

confined areas. Stop the flow of material, if this is without risk. Inform

authorities if large amounts are involved.



Revision Date: 01-07-2019

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so. Avoid discharge into drains, water courses or onto

the ground.

7. Handling and storage

Precautions for safe handling: Avoid inhalation of dust and vapors. Do not get in eyes, on skin, on

clothing. Do not taste or swallow. Wash hands thoroughly after handling.

Do not eat, drink or smoke when using the product.

Conditions for safe storage,

including any incompatibilities:

Do not store in metal containers. Keep containers tightly closed. Store in

cool, dry place. Store in a well-ventilated place.

# 8. Exposure controls/personal protection

#### **Control Parameters**

**Occupational Exposure Limits** 

Chemical Identity	Туре	Exposure Limit Values	Source
Potassium hydroxide	Ceiling	2 mg/m3	US. ACGIH Threshold Limit Values (2011)
	Ceil_Time	2 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2016)
	Ceiling	2 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	Ceiling	2 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	AN ESL	2 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (03 2014)
	ST ESL	20 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (03 2014)
	Ceiling	2 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (08 2010)

Appropriate Engineering Controls

No data available.

# Individual protection measures, such as personal protective equipment

**General information:** Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the

immediate work area.

**Eye/face protection:** Wear safety glasses with side shields (or goggles) and a face shield.

**Skin Protection** 

Hand Protection: Chemical resistant gloves

Other: Wear appropriate clothing to prevent reasonably probable skin contact.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. High-efficiency

particulate respirator with full facepiece.

Hygiene measures: Provide eyewash station and safety shower. Observe good industrial

hygiene practices. Wash hands before breaks and immediately after handling the product. Wash contaminated clothing before reuse. Avoid

contact with eyes, skin, and clothing.



Revision Date: 01-07-2019

# 9. Physical and chemical properties

**Appearance** 

Physical state: Solid
Form: Solid
Color: White
Odor: Odorless

Odor threshold: No data available. pH: 13.5 (5.61 g/l, 20 °C)

Melting point/freezing point: 360 °C Initial boiling point and boiling range: 1,320 °C

Flash Point:

Evaporation rate:

No data available.

No data available.

No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): No data available. Flammability limit - lower (%): No data available. Explosive limit - upper (%): No data available. Explosive limit - lower (%): No data available. Vapor pressure: 0.1 kPa (714 °C) Vapor density: No data available. Density: 2.04 g/ml (20 °C) Relative density: 2.04 (20 °C)

Solubility(ies)

Solubility in water: Soluble

Solubility (other):

Partition coefficient (n-octanol/water):

Auto-ignition temperature:

Decomposition temperature:

Viscosity:

No data available.

No data available.

No data available.

No data available.

Other information

Molecular weight: 56.11 g/mol

# 10. Stability and reactivity

**Reactivity:** Reacts violently with strong acids.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

Hazardous polymerization does not occur. The substance is hygroscopic

and will absorb water by contact with the moisture in the air.

**Conditions to avoid:** Avoid contact with oxidizing agents. Reacts violently with strong acids.

Heat. Moisture.

Incompatible Materials: Moisture. Oxidizing agents. Acids. Maleic Anhydride Halogens.

Nitromethane. Contact with metals may evolve flammable hydrogen gas.

**Hazardous Decomposition** 

Products:

Oxides of potassium.



Revision Date: 01-07-2019

# 11. Toxicological information

Information on likely routes of exposure

**Inhalation:** Causes severe burns.

**Skin Contact:** Causes severe skin burns.

**Eye contact:** Causes serious eye damage.

**Ingestion:** May cause burns of the gastrointestinal tract if swallowed.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

**Product:** ATEmix (Rat): 303.3 mg/kg

**Dermal** 

**Product:** No data available.

Inhalation

**Product:** No data available.

Repeated dose toxicity

**Product:** No data available.

Skin Corrosion/Irritation

**Product:** Causes severe skin burns.

Serious Eye Damage/Eye Irritation

**Product:** Causes serious eye damage.

Respiratory or Skin Sensitization

**Product:** Not a skin nor a respiratory sensitizer.

Carcinogenicity

**Product:** This substance has no evidence of carcinogenic properties.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

**Germ Cell Mutagenicity** 

In vitro

**Product:** No mutagenic components identified

In vivo

**Product:** No mutagenic components identified

Reproductive toxicity

**Product:** No components toxic to reproduction



Revision Date: 01-07-2019

**Specific Target Organ Toxicity - Single Exposure** 

**Product:** Respiratory tract irritation.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** None known.

**Target Organs** 

Specific Target Organ Toxicity - Single Exposure: Respiratory tract irritation.

None known.

**Aspiration Hazard** 

Other effects:

Product: Not classified

# 12. Ecological information

#### **Ecotoxicity:**

# Acute hazards to the aquatic environment:

Fish

**Product:** No data available.

Specified substance(s):

Potassium hydroxide LC 50 (Western mosquitofish (Gambusia affinis), 96 h): 80 mg/l

LC 50 (Gambusia affinis, 96 h): 80 mg/l NOAEL (Gambusia affinis, 96 h): 56 mg/l

**Aquatic Invertebrates** 

**Product:** No data available.

# Chronic hazards to the aquatic environment:

**Fish** 

**Product:** No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

**Toxicity to Aquatic Plants** 

**Product:** No data available.

# Persistence and Degradability

Biodegradation

**Product:** Expected to be readily biodegradable.

**BOD/COD Ratio** 

**Product:** No data available.

# Bioaccumulative potential

**Bioconcentration Factor (BCF)** 

**Product:** No data available on bioaccumulation.

# Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.



Revision Date: 01-07-2019

**Mobility in soil:** The product is water soluble and may spread in water systems.

Other adverse effects: Harmful to aquatic organisms. The product may affect the acidity (pH-factor)

in water with risk of harmful effects to aquatic organisms.

# 13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Contaminated Packaging: Since emptied containers retain product residue, follow label warnings even

after container is emptied.

# 14. Transport information

DOT

UN Number: UN 1813

UN Proper Shipping Name: Potassium hydroxide, solid

Transport Hazard Class(es)

Class: 8
Label(s): 8
Packing Group: II
Marine Pollutant: No

Special precautions for user: Keep away from acids.

**IMDG** 

UN Number: UN 1813

UN Proper Shipping Name: POTASSIUM HYDROXIDE, SOLID

Transport Hazard Class(es)

 Class:
 8

 Label(s):
 8

 EmS No.:
 F-A, S-B

 Packing Group:
 II

 Marine Pollutant:
 No

Special precautions for user: Keep away from acids.

IATA

UN Number: UN 1813

Proper Shipping Name: Potassium hydroxide, solid

Transport Hazard Class(es):

Class: 8
Label(s): 8
Packing Group: II
Marine Pollutant: No

Special precautions for user: Keep away from acids.

# 15. Regulatory information

## **US Federal Regulations**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

# US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.



Revision Date: 01-07-2019

#### CERCLA Hazardous Substance List (40 CFR 302.4):

**Chemical Identity** Reportable quantity

Potassium hydroxide 1000 lbs.

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **Hazard categories**

Acute (Immediate) Chronic (Delayed)

#### SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

# **SARA 304 Emergency Release Notification**

Chemical Identity Reportable quantity

Potassium hydroxide 1000 lbs.

#### SARA 311/312 Hazardous Chemical

Chemical Identity Threshold Planning Quantity

Potassium hydroxide 10000 lbs.

#### SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

#### Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3):

Chemical Identity Reportable quantity

Potassium hydroxide Reportable quantity: 1000 lbs.

## **US State Regulations**

# **US. California Proposition 65**

No ingredient regulated by CA Prop 65 present.

# US. New Jersey Worker and Community Right-to-Know Act

# **Chemical Identity**

Potassium hydroxide

# US. Massachusetts RTK - Substance List

# **Chemical Identity**

Potassium hydroxide

# US. Pennsylvania RTK - Hazardous Substances

## **Chemical Identity**

Potassium hydroxide

#### **US. Rhode Island RTK**

#### **Chemical Identity**

Potassium hydroxide

## International regulations

#### Montreal protocol

Not applicable

# Stockholm convention

Not applicable

SDS\_US - SDSMIX000296



Revision Date: 01-07-2019

#### Rotterdam convention

Not applicable

# **Kyoto protocol**


Not applicable

# **Inventory Status:**

Australia AICS: On or in compliance with the inventory Canada DSL Inventory List: On or in compliance with the inventory EINECS, ELINCS or NLP: On or in compliance with the inventory Japan (ENCS) List: On or in compliance with the inventory China Inv. Existing Chemical Substances: On or in compliance with the inventory Korea Existing Chemicals Inv. (KECI): On or in compliance with the inventory Philippines PICCS: On or in compliance with the inventory US TSCA Inventory: On or in compliance with the inventory New Zealand Inventory of Chemicals: On or in compliance with the inventory Japan ISHL Listing: Not in compliance with the inventory. Mexico INSQ: On or in compliance with the inventory Taiwan Chemical Substance Inventory: On or in compliance with the inventory

# 16.Other information, including date of preparation or last revision

#### NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible COR: Corrosive

**Issue Date**: 01-07-2019

Revision Information: Not relevant.

Version #: 1.1

**Source of information:** Sources of information used in preparing this SDS included one or more of

the following: results from in house or supplier toxicology studies, information from the Toxicology Data Network (TOXNET), European Chemical Agency (ECHA) substance dossiers, IARC Monographs, US National Toxicology Program data, the Agency for Toxic Substances and Disease Registry, other

manufacturer's SDSs and other sources, as appropriate.

Further Information: No data available.



Revision Date: 01-07-2019

#### Disclaimer:

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR PERFORMANCE MATERIALS ("AVANTOR") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of Avantor's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR DISCLAIMS LIABILITY FOR, AND BY USING AVANTOR'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL AVANTOR BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.