

BRIGHT DYES™ MATERIAL SAFETY DATA SHEET  
FWT RED™ 50 LIQUID  
PAGE 1 OF 3

MSDS 1399

MSDS PREPARATION INFORMATION

PREPARED BY: T. P. MULDOON  
(937) 836-9100  
DATE PREPARED: 1/1/02

PRODUCT INFORMATION

MANUFACTURED BY: KINGSCOTE CHEMICALS  
3334 S. TECH BLVD.  
MIAMISBURG, OHIO 45342

CHEMICAL NAME: NOT APPLICABLE  
CHEMICAL FORMULA: NOT APPLICABLE  
CHEMICAL FAMILY: XANTHENE DYE FORM

DESCRIPTION	HAZARDOUS INGREDIENTS		
	%	T.L.V.	C.A.S. #
TRIMELLITIC ACID	~1.25	NONE	528-44-9
ORAL (MOUSE)	<u>LD/50, SPECIES</u> 2500 MG/KG		<u>LC/50, SPECIES</u> NONE AVAILABLE
DERMAL (RABBIT)	NOT AVAILABLE		NOT AVAILABLE

PHYSICAL DATA

PHYSICAL STATE: LIQUID  
ODOR AND APPEARANCE: DARK RED LIQUID WITH MILD ODOR  
SPECIFIC GRAVITY: ~1.03  
VAPOR DENSITY (mm Hg @ 25 ° C): NOT APPLICABLE  
VAPOR DENSITY (AIR =1): NOT APPLICABLE  
EVAPORATION RATE (Butyl Acetate = 1): NOT APPLICABLE  
BOILING POINT: ~ 100 degrees C (212 degrees F)  
FREEZING POINT: ~ 0 degrees C (32 degrees F)  
pH: 8.6 TO 8.8  
SOLUBILITY IN WATER: VERY SOLUBLE

FIRE HAZARD

CONDITION OF FLAMMABILITY: NON-FLAMABLE  
MEANS OF EXTINCTION: WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, WEAR SCBA  
FLASH POINT AND METHOD: NOT APPLICABLE  
UPPER FLAMABLE LIMIT: NOT APPLICABLE  
LOWER FLAMABLE LIMIT: NOT APPLICABLE  
AUTO-IGNITION TEMPERATURE: NOT APPLICABLE  
HAZARDOUS COMBUSTION PRODUCTS: BURNING MAY PRODUCE OXIDES OF CARBON & NITROGEN  
UNUSUAL FIRE HAZARD: NOT APPLICABLE

BRIGHT DYES™ MATERIAL SAFETY DATA SHEET  
FWT RED™ 50 LIQUID  
PAGE 2 OF 3

EXPLOSION HAZARD

SENSITIVITY TO STATIC DISCHARGE ..... NOT APPLICABLE  
SENSITIVITY TO MECHANICAL IMPACT ..... NOT APPLICABLE

REACTIVITY DATA

PRODUCT STABILITY ..... STABLE  
PRODUCT INCOMPATIBILITY ..... DO NOT MIX WITH ACIDS  
CONDITIONS OF REACTIVITY ..... NOT APPLICABLE  
HAZARDOUS DECOMPOSITION PRODUCTS ..... SEE HAZARDOUS COMBUSTION PRODUCTS

TOXICOLOGICAL PROPERTIES

SYMPTOMS OF OVER EXPOSURE FOR EACH POTENTIAL ROUTE OF ENTRY:

INHALLATION, ACUTE ..... NOT KNOWN  
INHALLATION, CHRONIC ..... NOT KNOWN  
SKIN CONTACT ..... MAY BE IRRITATING TO THE SKIN. WILL CAUSE  
TEMPORARY STAINING OF THE SKIN ON CONTACT.  
EYE CONTACT ..... MAY CAUSE IRRITATION  
INGESTION ..... URINE MAY BE A RED COLOR UNTIL THE DYE HAS BEEN  
WASHED THROUGH THE SYSTEM.  
EFFECTS OF ACUTE EXPOSURE ..... DIRECT CONTACT MAY CAUSE IRRITATION TO THE EYES,  
SKIN, AND RESPIRATORY TRACT.  
EFFECTS OF CHRONIC EXPOSURE ..... NOT KNOWN  
THRESHOLD OF LIMIT VALUE ..... NOT APPLICABLE  
CARCINOGENICITY ..... NOT LISTED AS A KNOWN OR SUSPECTED CARCINOGEN BY  
IARC, NTP OR OSHA.  
TERATOGENICITY ..... NONE KNOWN  
MUTAGENICITY ..... CONFLICTING EVIDENCE AS TO MUTAGENICITY OF THE  
DYE CONTAINED IN THIS PRODUCT  
TOXICOLOGY SYNERGISTIC PRODUCTS ..... NONE KNOWN

PREVENTATIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT  
GLOVES ..... RUBBER  
RESPIRATORY ..... NONE REQUIRED UNDER NORMAL CONDITIONS  
EYE PROTECTION ..... GOGGLES  
CLOTHING ..... PROTECTIVE CLOTHING SHOULD BE WORN WHERE  
CONTACT IS UNAVOIDABLE.  
OTHER ..... HAVE ACCESS TO EMERGENCY EYEWASH.

**BRIGHT DYES™ MATERIAL SAFETY DATA SHEET**  
**FWT RED™ 50 LIQUID**  
**PAGE 3 OF 3**

---

**PREVENTATIVE MEASURES (CONT.)**

---

ENGINEERING CONTROLS .....	NOT NECESSARY UNDER NORMAL CONDITIONS, USE LOCAL VENTILATION IF DUSTY CONDITIONS EXIST.
SPILL OR LEAK RESPONSE .....	CONTAIN AND CLEAN UP SPILL IMMEDIATELY, PREVENT FROM ENTERING FLOOR DRAINS. SWEEP POWDERS AND PLACE IN WASTE DISPOSAL CONTAINER. FLUSH AFFECTED AREA WITH WATER.
WASTE DISPOSAL .....	INCINERATE OR REMOVE TO A SUITABLE SOLID WASTE DISPOSAL SITE, DISPOSE OF ALL WASTES IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.
HANDLING PROCEDURES AND EQUIPMENT .....	NO SPECIAL REQUIREMENTS.
STORAGE REQUIREMENTS .....	STORE AT ROOM TEMPERATURE BUT ABOVE THE FREEZING POINT OF WATER.
SHIPPING INFORMATION .....	KEEP FROM FREEZING.

---

**FIRST AID MEASURES**

---

**FIRST AID EMERGENCY PROCEDURES**

EYE CONTACT .....	FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.
SKIN CONTACT .....	WASH SKIN THOROUGHLY WITH SOAP AND WATER. GET MEDICAL ATTENTION IF IRRITATION DEVELOPS.
INHALATION .....	IF DUST IS INHALED, MOVE TO FRESH AIR. IF BREATHING IS DIFFICULT GIVE OXYGEN AND GET IMMEDIATE MEDICAL ATTENTION.
INGESTION .....	DRINK PLENTY OF WATER AND INDUCE VOMITING. GET MEDICAL ATTENTION IF LARGE QUANTITIES WERE INGESTED OR IF NAUSEA OCCURS. NEVER GIVE FLUIDS OR INDUCE VOMITING IF THE PERSON IS UNCONSCIOUS OR HAS CONVULSIONS.

---

**SPECIAL NOTICE**

---

ALL INFORMATION, RECOMMENDATIONS AND SUGGESTIONS APPEARING HEREIN CONCERNING THIS PRODUCT ARE BASED UPON DATA OBTAINED FROM MANUFACTURER AND/OR RECOGNIZED TECHNICAL SOURCES; HOWEVER, KINGSCOTE CHEMICALS MAKES NO WARRANTY, REPRESENTATION OR GUARANTEE AS TO THE ACCURACY, SUFFICIENCY OR COMPLETENESS OF THE MATERIAL SET FORTH HEREIN. IT IS THE USER'S RESPONSIBILITY TO DETERMINE THE SAFETY, TOXICITY AND SUITABILITY OF HIS OWN USE, HANDLING, AND DISPOSAL OF THE PRODUCT. ADDITIONAL PRODUCT LITERATURE MAY BE AVAILABLE UPON REQUEST. SINCE ACTUAL USE BY OTHERS IS BEYOND OUR CONTROL, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE BY KINGSCOTE CHEMICALS AS TO THE EFFECTS OF SUCH USE, THE RESULTS TO BE OBTAINED OR THE SAFETY AND TOXICITY OF THE PRODUCT, NOR DOES KINGSCOTE CHEMICALS ASSUME ANY LIABILITY ARISING OUT OF USE BY OTHERS OF THE PRODUCT REFERRED TO HEREIN. THE DATA IN THE MSDS RELATES ONLY TO SPECIFIC MATERIAL DESIGNATED HEREIN AND DOES NOT RELATE TO USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PROCESS.

---

**END OF MATERIAL SAFETY DATA SHEET**

---