



MUNICIPALITY CAMBRIDGE

COUNTY MIDDLESEX

STATE MASSACHUSETTS


population 105,162

**INVENTORY YEAR** 

2009 · 2019

## **VALUE OF PUBLIC TREES AT RISK**

Invasive pests and pathogens can kill public trees, resulting in losses of critical ecosystem services, like carbon sequestration, runoff mitigation, and air pollution removal. For each invasive threat, the annual benefits provided by all potential host trees are summed into a total potential loss. In addition to the loss of benefits, the cost of replacing dead trees is estimated as the total structural cost. Together, these values can be used to weigh the potential benefit losses and costs that a municipality may incur if the invasive pest or pathogen is not contained.



<sup>1</sup>Total number of host trees includes any species or genus designated as a favored or occasional host of the pest or pathogen.

<sup>2</sup> Total annual value is the sum of the annual valuations of gross carbon sequestration, avoided runoff, and pollution removal.

<sup>3</sup> Total structural value is the estimated local cost of having to replace similar trees and can be interpreted as the value at risk of being lost.


Town of Cambridge, Massachusetts (2019). Cambridge, Massachusetts Street Tree Inventory. Available at:

https://www.uvm.edu/femc/data/archive/project/cambridge\_massachusetts\_street\_tree\_inventory


Valuations were generated with i-Tree Eco (Version 6.1.30) Estimate generated on: 2/21/2020

## **OVERVIEW OF TREE INVENTORY**


## THE **PERCENT POPULATION, PERCENT LEAF AREA**, AND **IMPORTANCE VALUE** FOR THE 10 MOST ABUNDANT TREE SPECIES IN THE INVENTORY



DIAMETER DISTRIBUTION BY GENUS



## PROPORTION OF TREES BY GENUS



Percent population is the proportion of trees of this species relative to the entire inventory. Leaf area is a measure of a tree's canopy cover; it is displayed here per species relative to the leaf area for all of the trees in the inventory. Importance value is a measure of how dominant a species is in the urban landscape and is calculated as the sum of the percent population and percent leaf area.

Diameter size classes (in inches) for the 10 most abundant genera in the inventory.

The proportion of inventoried trees displayed by genus. For clarity, only the 10 most common genera recorded in the inventory are displayed.

PDF created: 01/27/2025

For more information visit www.uvm.edu/femc/cooperative/projects/urban\_pests



🕲 (802) 656-2975 📈 femc@uvm.edu

THE UNIVERSITY OF VERMONT RUBENSTEIN SCHOOL OF ENVIRONMENT ADD NATURAL RESOURCES