

Mechanisms for Generating Power-Law Size Distributions, Part 3

Last updated: 2020/09/29, 21:23:21 EDT

Principles of Complex Systems, Vol. 1 | @pocsvox
CSYS/MATH 300, Fall, 2020

Prof. Peter Sheridan Dodds | @peterdodds

Computational Story Lab | Vermont Complex Systems Center
Vermont Advanced Computing Core | University of Vermont



These slides are brought to you by:

PoCS, Vol. 1
@pocsvox

Power-Law
Mechanisms, Pt. 3

Sealie & Lambie
Productions



Rich-Get-Richer
Mechanism

Simon's Model
Analysis
Words
Catchphrases
First Mover Advantage

References




These slides are also brought to you by:

PoCS, Vol. 1
@pocsvox

Power-Law
Mechanisms, Pt. 3

Special Guest Executive Producer





Rich-Get-Richer
Mechanism

Simon's Model
Analysis
Words
Catchphrases
First Mover Advantage

References



 On Instagram at [pratchett_the_cat](https://www.instagram.com/pratchett_the_cat) 



Rich-Get-Richer Mechanism

Simon's Model

Analysis

Words

Catchphrases

First Mover Advantage

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

First Mover Advantage

References

References



The Boggoracle Speaks:

Rich-Get-Richer Mechanism

Simon's Model

Analysis


Words

Catchphrases

First Mover Advantage

References





Aggregation:

- Random walks represent **additive aggregation**
- Mechanism: Random addition and subtraction
- Compare across realizations, no competition.
- Next: **Random Additive/Copying Processes** involving Competition.
- Widespread:** Words, Cities, the Web, Wealth, Productivity (Lotka), Popularity (Books, People, ...)
- Competing mechanisms (trickiness)

Rich-Get-Richer Mechanism


Simon's Model
Analysis

Words

Catchphrases

First Mover Advantage

References



Pre-Zipf's law observations of Zipf's law


- 1910s: Word frequency examined re Stenography (or shorthand or brachygraphy or tachygraphy), Jean-Baptiste Estoup [7].
- 1910s: Felix Auerbach pointed out the Zipfitude of city sizes in "Das Gesetz der Bevölkerungskonzentration" ("The Law of Population Concentration") [1].
- 1924: **G. Udny Yule** [15]:
Species per Genus (offers first theoretical mechanism)
- 1926: **Lotka** [10]:
Scientific papers per author (Lotka's law)

Rich-Get-Richer
Mechanism

Simon's Model
Analysis

Words
Catchphrases
First Mover Advantage

References








Theoretical Work of Yore:

PoCS, Vol. 1

@pocsvox

Power-Law
Mechanisms, Pt. 3

-  1949: Zipf's "Human Behaviour and the Principle of Least-Effort" is published. ^[16]
-  1953: **Mandelbrot** ^[11]:
Optimality argument for Zipf's law; focus on language.
-  1955: **Herbert Simon** ^[14, 16]:
Zipf's law for word frequency, city size, income, publications, and species per genus.
-  1965/1976: **Derek de Solla Price** ^[4, 5]:
Network of Scientific Citations.
-  1999: **Barabasi and Albert** ^[2]:
The World Wide Web, networks-at-large.

Rich-Get-Richer
Mechanism


Simon's Model
Analysis

Words

Catchphrases

First Mover Advantage









References





Herbert Simon (1916–2001):



-  Political scientist (and much more)
-  Involved in Cognitive Psychology, Computer Science, Public Administration, Economics, Management, Sociology
-  Coined 'bounded rationality' and 'satisficing'
-  Nearly 1000 publications (see Google Scholar )
-  An early leader in Artificial Intelligence, Information Processing, Decision-Making, Problem-Solving, Attention Economics, Organization Theory, Complex Systems, And Computer Simulation Of Scientific Discovery.
-  1978 Nobel Laureate in Economics (his Nobel bio is here )

Rich-Get-Richer
Mechanism


Simon's Model
Analysis

Words

Catchphrases

First Mover Advantage

References



Essential Extract of a Growth Model:

Random Competitive Replication (RCR):

1. Start with 1 elephant (or element) of a particular flavor at $t = 1$
2. At time $t = 2, 3, 4, \dots$, add a new elephant in one of two ways:
 - 📦 With probability ρ , create a new elephant with a new flavor
= Mutation/Innovation
 - 📦 With probability $1 - \rho$, randomly choose from all existing elephants, and make a copy.
= Replication/Imitation
 - 📦 Elephants of the same flavor form a group

Rich-Get-Richer
Mechanism


Simon's Model
Analysis

Words

Catchphrases

First Mover Advantage

References



Random Competitive Replication:

Example: Words appearing in a language

- Consider words as they appear sequentially.
- With probability ρ , the next word has not previously appeared
= Mutation/Innovation
- With probability $1 - \rho$, randomly choose one word from all words that have come before, and reuse this word
= Replication/Imitation


Note: This is a terrible way to write a novel.

Rich-Get-Richer
Mechanism

Simon's Model
Analysis

Words
Catchphrases
First Mover Advantage

References



For example:




- 21 words used
 - next word is new with prob p
 - next word is a copy with prob $1-p$
- | prob: | next word: |
|----------|------------|
| $6/21$ | ook |
| $4/21$ | the |
| $3/21$ | and |
| $2/21$ | penguin |
| \vdots | |
| $1/21$ | library |

Rich-Get-Richer Mechanism

Simon's Model Analysis

- Words
- Catchphrases
- First Mover Advantage



References



Some observations:

- 🧱 Fundamental **Rich-get-Richer** story;
- 🧱 Competition for replication between individual elephants is random;
- 🧱 Competition for growth between groups of matching elephants is not random;
- 🧱 Selection on groups is biased by size;
- 🧱 Random selection sounds **easy**;
- 🧱 Possible that no great knowledge of system needed (but more later ...).

Your free set of tofu knives:

- 🧱 Related to Pólya's Urn Model , a special case of problems involving urns and colored balls .
- 🧱 Sampling with super-duper replacement and sneaky sneaking in of new colors.

Rich-Get-Richer
Mechanism


Simon's Model
Analysis

Words

Catchphrases




First Mover Advantage

References



Random Competitive Replication:

Some observations:


-  Steady growth of system: +1 elephant per unit time.
-  Steady growth of distinct flavors at rate ρ
-  We can incorporate
 1. Elephant elimination
 2. Elephants moving between groups
 3. Variable innovation rate ρ
 4. Different selection based on group size
(But mechanism for selection is not as simple...)


Rich-Get-Richer
Mechanism

Simon's Model
Analysis

Words
Catchphrases
First Mover Advantage

References





"The Self-Organizing Economy" [a](#) [↗](#)
by Paul Krugman (1996).^[9]

Ch. 3: An Urban Mystery, p. 46

"...Simon showed—in a completely impenetrable exposition!—that the exponent of the power law distribution should be ..." ^{1, 2}

¹Krugman's book was handed to the Deliverator by a certain [Álvaro Cartea](#) [↗](#) many years ago at the Santa Fe Institute Summer School.

²Let's use π for probability because π 's not special, right guys?

Rich-Get-Richer
Mechanism


Simon's Model
Analysis

Words

Catchphrases


First Mover Advantage


References



Random Competitive Replication:

Definitions:

 k_i = size of a group i

 $N_{k,t}$ = # groups containing k elephants at time t .

Basic question: How does $N_{k,t}$ evolve with time?

First: $\sum_k kN_{k,t} = t =$ number of elephants at time t

Rich-Get-Richer
Mechanism

Simon's Model


Analysis

Words

Catchphrases

First Mover Advantage

References





Random Competitive Replication:


PoCS, Vol. 1
@pocsvox

Power-Law
Mechanisms, Pt. 3

$P_k(t)$ = Probability of choosing an elephant that belongs to a group of size k :

 $N_{k,t}$ size k groups

 $\Rightarrow kN_{k,t}$ elephants in size k groups

 t elephants overall

$$P_k(t) = \frac{kN_{k,t}}{t}.$$

Rich-Get-Richer
Mechanism

Simon's Model


Analysis

Words

Catchphrases

First Mover Advantage

References



Random Competitive Replication:

$N_{k,t}$, the number of groups with k elephants, changes at time t if

1. An elephant belonging to a group with k elephants is **replicated**:

$$N_{k,t+1} = N_{k,t} - 1$$

Happens with probability $(1 - \rho)kN_{k,t}/t$

2. An elephant belonging to a group with $k - 1$ elephants is **replicated**:

$$N_{k,t+1} = N_{k,t} + 1$$

Happens with probability $(1 - \rho)(k - 1)N_{k-1,t}/t$

Rich-Get-Richer
Mechanism

Simon's Model


Analysis

Words

Catchphrases

First Mover Advantage

References



Random Competitive Replication:

Special case for $N_{1,t}$:

1. The new elephant is a new flavor:

$$N_{1,t+1} = N_{1,t} + 1$$

Happens with probability ρ

2. A unique elephant is replicated:

$$N_{1,t+1} = N_{1,t} - 1$$

Happens with probability $(1 - \rho)N_{1,t}/t$

Rich-Get-Richer
Mechanism

Simon's Model


Analysis

Words

Catchphrases

First Mover Advantage

References



Random Competitive Replication:

Putting everything together:

For $k > 1$:

$$\langle N_{k,t+1} - N_{k,t} \rangle = (1-\rho) \left((+1)(k-1) \frac{N_{k-1,t}}{t} + (-1)k \frac{N_{k,t}}{t} \right)$$

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words


Catchphrases

First Mover Advantage

References

For $k = 1$:

$$\langle N_{1,t+1} - N_{1,t} \rangle = (+1)\rho + (-1)(1-\rho)1 \cdot \frac{N_{1,t}}{t}$$



Random Competitive Replication:

Assume distribution stabilizes: $N_{k,t} = n_k t$
(Reasonable for t large)

- Drop expectations
- Numbers of elephants now fractional
- Okay over large time scales

For later: the fraction of groups that have size k is n_k / ρ since

$$\frac{N_{k,t}}{\rho t} = \frac{n_k t}{\rho t} = \frac{n_k}{\rho}.$$

Rich-Get-Richer
Mechanism

Simon's Model


Analysis

Words

Catchphrases

First Mover Advantage

References



Random Competitive Replication:

Stochastic difference equation:

$$\langle N_{k,t+1} - N_{k,t} \rangle = (1 - \rho) \left((k-1) \frac{N_{k-1,t}}{t} - k \frac{N_{k,t}}{t} \right)$$

becomes

$$n_k(t+1) - n_k t = (1 - \rho) \left((k-1) \frac{n_{k-1} t}{t} - k \frac{n_k t}{t} \right)$$

$$n_k(\cancel{t} + 1 - \cancel{t}) = (1 - \rho) \left((k-1) \frac{n_{k-1} \cancel{t}}{\cancel{t}} - k \frac{n_k \cancel{t}}{\cancel{t}} \right)$$

$$\Rightarrow n_k = (1 - \rho) ((k-1)n_{k-1} - kn_k)$$

$$\Rightarrow n_k (1 + (1 - \rho)k) = (1 - \rho)(k-1)n_{k-1}$$

Rich-Get-Richer
Mechanism

Simon's Model


Analysis

Words

Catchphrases

First Mover Advantage


References





Random Competitive Replication:


We have a simple recursion:


$$\frac{n_k}{n_{k-1}} = \frac{(k-1)(1-\rho)}{1+(1-\rho)k}$$

 Interested in k large (the tail of the distribution)

 Can be solved exactly.

[Insert question from assignment 4](#) 

 For just the tail: Expand as a series of powers of $1/k$

[Insert question from assignment 4](#) 

We (okay, you) find

$$n_k \propto k^{-\frac{(2-\rho)}{(1-\rho)}} = k^{-\gamma}$$

$$\gamma = \frac{(2-\rho)}{(1-\rho)} = 1 + \frac{1}{(1-\rho)}$$

Rich-Get-Richer
Mechanism

Simon's Model


Analysis

Words

Catchphrases

First Mover Advantage

References



Micro-to-Macro story with ρ and γ measurable.

$$\gamma = \frac{(2 - \rho)}{(1 - \rho)} = 1 + \frac{1}{(1 - \rho)}$$

Observe $2 < \gamma < \infty$ for $0 < \rho < 1$.

For $\rho \simeq 0$ (low innovation rate):

$$\gamma \simeq 2$$


'Wild' power-law size distribution of group sizes, bordering on 'infinite' mean.

For $\rho \simeq 1$ (high innovation rate):

$$\gamma \simeq \infty$$

All elephants have different flavors.

Upshot: Tunable mechanism producing a family of universality classes.



Recall Zipf's law: $s_r \sim r^{-\alpha}$
(s_r = size of the r th largest group of elephants)

We found $\alpha = 1/(\gamma - 1)$ so:

$$\alpha = \frac{1}{\gamma - 1} = \frac{1}{\cancel{\gamma} + \frac{1}{(1-\rho)} - \cancel{\gamma}} = 1 - \rho.$$

$\gamma = 2$ corresponds to $\alpha = 1$

We (roughly) see Zipfian exponent^[16] of $\alpha = 1$ for many real systems: city sizes, word distributions, ...

Corresponds to $\rho \rightarrow 0$, low innovation.

Still, **other quite different** mechanisms are possible...

Must look at the details to see if mechanism makes sense... **more later.**

Rich-Get-Richer Mechanism

Simon's Model


Analysis

Words

Catchphrases

First Mover Advantage

References



What about small k ?:

We had one other equation:



$$\langle N_{1,t+1} - N_{1,t} \rangle = \rho - (1 - \rho)1 \cdot \frac{N_{1,t}}{t}$$



As before, set $N_{1,t} = n_1 t$ and drop expectations



$$n_1(t+1) - n_1 t = \rho - (1 - \rho)1 \cdot \frac{n_1 t}{t}$$



$$n_1 = \rho - (1 - \rho)n_1$$



Rearrange:

$$n_1 + (1 - \rho)n_1 = \rho$$



$$n_1 = \frac{\rho}{2 - \rho}$$

Rich-Get-Richer
Mechanism

Simon's Model


Analysis

Words

Catchphrases

First Mover Advantage

References



So...
$$N_{1,t} = n_1 t = \frac{\rho t}{2 - \rho}$$

- Recall number of distinct elephants = ρt .
- Fraction of distinct elephants that are unique (belong to groups of size 1):

$$\frac{1}{\rho t} N_{1,t} = \frac{1}{\rho t} \frac{\rho t}{2 - \rho} = \frac{1}{2 - \rho}$$

(also = fraction of groups of size 1)

- For ρ small, fraction of unique elephants $\sim 1/2$
- Roughly observed for real distributions
- ρ increases, fraction increases
- Can show fraction of groups with two elephants $\sim 1/6$
- Model works well for large and small k #awesome

Rich-Get-Richer Mechanism

Simon's Model


Analysis


Words

Catchphrases

First Mover Advantage

References





Rich-Get-Richer Mechanism

Simon's Model


Analysis

Words

Catchphrases

First Mover Advantage

References



From Simon^[14]:

Estimate $\rho_{\text{est}} = \# \text{ unique words} / \# \text{ all words}$

For Joyce's **Ulysses**: $\rho_{\text{est}} \simeq 0.115$

N_1 (real)	N_1 (est)	N_2 (real)	N_2 (est)
16,432	15,850	4,776	4,870

Rich-Get-Richer
Mechanism

Simon's Model


Analysis

Words



Catchphrases

First Mover Advantage

References



Evolution of catch phrases:

-  Yule's paper (1924)^[15]:
"A mathematical theory of evolution, based on the conclusions of Dr J. C. Willis, F.R.S."
-  Simon's paper (1955)^[14]:
"On a class of skew distribution functions" (snore)

From Simon's introduction:

It is the purpose of this paper to analyse a class of distribution functions that appear in a wide range of empirical data—particularly data describing sociological, biological and economic phenomena.

Its appearance is so frequent, and the phenomena so diverse, that one is led to conjecture that if these phenomena have any property in common it can only be a similarity in the structure of the underlying probability mechanisms.

Rich-Get-Richer
Mechanism

Simon's Model


Analysis

Words

Catchphrases







First Mover Advantage

References



Evolution of catch phrases:

Derek de Solla Price:

-  First to study network evolution with these kinds of models.
-  Citation network of scientific papers
-  Price's term: **Cumulative Advantage**
-  Idea: papers receive new citations with probability proportional to their existing # of citations
-  Directed network
-  Two (surmountable) problems:
 1. New papers have no citations
 2. Selection mechanism is more complicated

Rich-Get-Richer Mechanism

Simon's Model


Analysis

Words

Catchphrases

First Mover Advantage

References



Evolution of catch phrases:

Robert K. Merton: the Matthew Effect ↗

🧱 Studied careers of scientists and found credit flowed disproportionately to the already famous

From the Gospel of Matthew:

“For to every one that hath shall be given...

(Wait! There's more....)

but from him that hath not, that also which he seemeth to have shall be taken away.

And cast the worthless servant into the outer darkness; there men will weep and gnash their teeth.”

🧱 (Hath = suggested unit of purchasing power.)

🧱 Matilda effect: ↗ women's scientific achievements are often overlooked

Rich-Get-Richer
Mechanism

Simon's Model


Analysis

Words

Catchphrases

First Mover Advantage

References



Evolution of catch phrases:

Merton was a catchphrase machine:

1. Self-fulfilling prophecy
2. Role model
3. Unintended (or unanticipated) consequences
4. Focused interview → focus group
5. Obliteration by incorporation ↗ (includes above examples from Merton himself)

And just to be clear...

Merton's son, Robert C. Merton, won the Nobel Prize for Economics in 1997.

Rich-Get-Richer
Mechanism

Simon's Model


Analysis

Words

Catchphrases

First Mover Advantage

References



Evolution of catch phrases:

- Barabasi and Albert ^[2]—thinking about the Web
- Independent reinvention of a version of Simon and Price's theory for networks
- Another term: **"Preferential Attachment"**
- Considered undirected networks (not realistic but avoids 0 citation problem)
- Still have selection problem based on size (non-random)
- Solution: Randomly connect to a node (**easy**) ...
- ...and then randomly connect to the node's friends (**also easy**)
- "Scale-free networks"** = food on the table for physicists

Rich-Get-Richer
Mechanism

Simon's Model


Analysis

Words

Catchphrases

First Mover Advantage

References



Another analytic approach: [6]

- Focus on how the n th arriving group typically grows.
- Analysis gives:

$$S_{n,t} \sim \begin{cases} \frac{1}{\Gamma(2-\rho)} \left[\frac{1}{t}\right]^{-(1-\rho)} & \text{for } n = 1, \\ \rho^{1-\rho} \left[\frac{n-1}{t}\right]^{-(1-\rho)} & \text{for } n \geq 2. \end{cases}$$

- First mover is a factor $1/\rho$ greater than expected.
- Because ρ is usually close to 0, the first element is truly an elephant in the room.
- Appears that this has been missed for 60 years ...

Rich-Get-Richer
Mechanism

Simon's Model


Analysis

Words

Catchphrases

First Mover Advantage

References




"Simon's fundamental rich-gets-richer model entails a dominant first-mover advantage" ↗

Dodds et al.,
Available online at


<https://arxiv.org/abs/1608.06313>, 2016. [6]




A. $\rho = 0.1$








B. $\rho = 0.01$



C. $\rho = 0.001$




D. $\rho = 0.0001$




See visualization at paper's [online app-endices](#) ↗



Alternate analysis:

 Evolution of the n th arriving group's size:

$$\langle S_{n,t+1} - S_{n,t} \rangle = (1 - \rho_t) \cdot \frac{S_{n,t}}{t} \cdot (+1).$$

 For $t \geq t_n^{\text{init}}$, fix $\rho_t = \rho$ and shift t to $t - 1$:

$$S_{n,t} = \left[1 + \frac{(1 - \rho)}{t - 1} \right] S_{n,t-1}.$$

where $S_{n,t_n^{\text{init}}} = 1$.

Rich-Get-Richer
Mechanism

Simon's Model


Analysis

Words

Catchphrases

First Mover Advantage

References



Betafication ensues:

$$\begin{aligned}
 S_{n,t} &= \left[1 + \frac{(1-\rho)}{t-1} \right] \left[1 + \frac{(1-\rho)}{t-2} \right] \dots \left[1 + \frac{(1-\rho)}{t_n^{\text{init}}} \right] \cdot 1 \\
 &= \left[\frac{t+1-\rho}{t-1} \right] \left[\frac{t-\rho}{t-2} \right] \dots \left[\frac{t_n^{\text{init}}+1-\rho}{t_n^{\text{init}}} \right] \\
 &= \frac{\Gamma(t+1-\rho)\Gamma(t_n^{\text{init}})}{\Gamma(t_n^{\text{init}}+1-\rho)\Gamma(t)} \\
 &= \frac{B(t_n^{\text{init}}, 1-\rho)}{B(t, 1-\rho)}.
 \end{aligned}$$

Rich-Get-Richer
Mechanism

Simon's Model


Analysis

Words


Catchphrases

First Mover Advantage


References





The first mover is really different:


 The issue is t_n^{init} in


$$S_{n,t} = \frac{B(t_n^{\text{init}}, 1 - \rho)}{B(t, 1 - \rho)}$$

 For $n \geq 2$ and $\rho \ll 1$, the n th group typically arrives at $t_n^{\text{init}} \simeq \lceil \frac{n-1}{\rho} \rceil$

 But $t_1^{\text{init}} = 1$ and the scaling is distinct in form.

 Simon missed the first mover by working on the size distribution.

 Contribution to $P_{k,t}$ of the first element vanishes as $t \rightarrow \infty$.

 Note: Does not apply to Barabási-Albert model.

Rich-Get-Richer
Mechanism

Simon's Model


Analysis

Words


Catchphrases

First Mover Advantage


References



Variability:

 The probability that the n th arriving group, if of size $S_{n,t} = k$ at time t , first replicates at time $t + \tau$:

$$\begin{aligned} \Pr(S_{n,t+\tau} = k + 1 \mid S_{n,t+i} = k \text{ for } i = 0, \dots, \tau - 1) \\ &= \prod_{i=0}^{\tau-1} \left[1 - (1 - \rho) \frac{k}{t+i} \right] \cdot (1 - \rho) \frac{k}{t + \tau} \\ &= k \frac{B(\tau, t)}{B(\tau, t - (1 - \rho))} \frac{1 - \rho}{t + \tau} \propto \frac{\tau^{-(1-\rho)k}}{t + \tau} \sim \tau^{-(2-\rho)k}. \end{aligned}$$

 Upshot: n th arriving group starting at size 1 will on average wait for an infinite time to replicate.

Rich-Get-Richer
Mechanism

Simon's Model


Analysis

Words

Catchphrases

First Mover Advantage

References



Related papers:

PoCS, Vol. 1
@pocsvox

Power-Law
Mechanisms, Pt. 3



“Organization of Growing Random Networks”[↗](#)

Krapivsky and Redner,
Phys. Rev. E, **63**, 066123, 2001. [8]



“The first-mover advantage in scientific publication”[↗](#)

M. E. J. Newman,
Europhysics Letters, **86**, 68001, 2009. [12]

Rich-Get-Richer
Mechanism

Simon's Model


Analysis

Words

Catchphrases


First Mover Advantage

References




Related papers:



"Prediction of highly cited papers" 
M. E. J. Newman,
Europhysics Letters, **105**, 28002, 2014. [13]




"The effect of the initial network
configuration on preferential
attachment" 
Berset and Medo,
The European Physical Journal B, **86**, 1-7,
2013. [3]


Rich-Get-Richer
Mechanism

Simon's Model
Analysis
Words
Catchphrases
First Mover Advantage

References




Arrival variability:



- Any one simulation shows a high amount of disorder.
- Two orders of magnitude variation in possible rank.
- Rank ordering creates a smooth Zipf distribution.
- Size distribution for the n th arriving group show exponential decay.

Self-referential citation data:



Rich-Get-Richer Mechanism

Simon's Model


Analysis

Words

Catchphrases

First Mover Advantage

References



More mattering:

Rich-get-richness in social contagion:

- 🧱 We love to rank everyone, everything: Top n lists.
- 🧱 People, wealth, sports, music, movies, books, schools, cities, countries, dogs (13/10) ↗, ...
- 🧱 Gameable: payola ↗, astroturfing ↗, sockpuppetry ↗, John Barron ↗ (the sockpuppet hype man ↗), ...
- 🧱 Black-box ranking algorithms make ranking opaque.
- 🧱 Black boxes are gameable but takes money and commensurate skill.
- 🧱 Black box algorithms can make things spread rampantly.¹
- 🧱 No “regramming” is a positive feature of Instagram (also: Pratchett the Cat ↗)
- 🧱 What if a healthier Facebook is just ...

Rich-Get-Richer Mechanism

Simon's Model


Analysis

Words




Catchphrases

First Mover Advantage

References



References I

- [1] F. Auerbach.
Das gesetz der bevölkerungskonzentration.
[Petermanns Geogr. Mitteilungen](#), 59:73–76, 1913.
- [2] A.-L. Barabási and R. Albert.
Emergence of scaling in random networks.
[Science](#), 286:509–511, 1999. [pdf](#) 
- [3] Y. Berset and M. Medo.
The effect of the initial network configuration on preferential attachment.
[The European Physical Journal B](#), 86(6):1–7, 2013.
[pdf](#) 
- [4] D. J. de Solla Price.
Networks of scientific papers.
[Science](#), 149:510–515, 1965. [pdf](#) 

Rich-Get-Richer
Mechanism

Simon's Model


Analysis

Words



Catchphrases

First Mover Advantage

References




References II

- [5] D. J. de Solla Price.
A general theory of bibliometric and other
cumulative advantage processes.
[J. Amer. Soc. Inform. Sci., 27:292–306, 1976. pdf](#) 
- [6] P. S. Dodds, D. R. Dewhurst, F. F. Hazlehurst, C. M.
Van Oort, L. Mitchell, A. J. Reagan, J. R. Williams,
and C. M. Danforth.
Simon's fundamental rich-gets-richer model
entails a dominant first-mover advantage, 2016.
Available online at
<https://arxiv.org/abs/1608.06313>. pdf 
- [7] J.-B. Estoup.
Gammes sténographiques: méthode et exercices
pour l'acquisition de la vitesse.
Institut Sténographique, 1916.


Rich-Get-Richer
Mechanism

Simon's Model
Analysis
Words
Catchphrases
First Mover Advantage

References



References III

- [8] P. L. Krapivsky and S. Redner.
Organization of growing random networks.
[Phys. Rev. E, 63:066123, 2001. pdf](#) 
- [9] P. Krugman.
[The Self-Organizing Economy.](#)
Blackwell Publishers, Cambridge, Massachusetts,
1996.
- [10] A. J. Lotka.
The frequency distribution of scientific
productivity.
[Journal of the Washington Academy of Science,](#)
16:317-323, 1926.

Rich-Get-Richer
Mechanism

Simon's Model


Analysis

Words

Catchphrases

First Mover Advantage

References



References IV

- [11] B. B. Mandelbrot.
An informational theory of the statistical structure of languages.
In W. Jackson, editor, Communication Theory, pages 486–502. Butterworth, Woburn, MA, 1953. pdf ↗


- [12] M. E. J. Newman.
The first-mover advantage in scientific publication.
Europhysics Letters, 86:68001, 2009. pdf ↗

- [13] M. E. J. Newman.
Prediction of highly cited papers.
Europhysics Letters, 105:28002, 2014. pdf ↗

Rich-Get-Richer
Mechanism

Simon's Model
Analysis
Words
Catchphrases
First Mover Advantage

References



- [14] H. A. Simon.
On a class of skew distribution functions.
[Biometrika](#), 42:425–440, 1955. [pdf](#) ↗
- [15] G. U. Yule.
A mathematical theory of evolution, based on the
conclusions of Dr J. C. Willis, F.R.S.
[Phil. Trans. B](#), 213:21–87, 1925. [pdf](#) ↗
- [16] G. K. Zipf.
Human Behaviour and the Principle of
Least-Effort.
Addison-Wesley, Cambridge, MA, 1949.

Rich-Get-Richer
Mechanism

Simon's Model

Analysis

Words

Catchphrases

First Mover Advantage

References

