

# REAL AND COMPLEX VARIABLES PH.D. QUALIFYING EXAM

January 10, 2019

*Three Hours*

*A passing paper consists of a total of six problems done completely correctly, or five problems done correctly with substantial progress on two others. At least three problems from each of Section A (Real Analysis) and Section B (Complex Analysis) must count toward the passing criteria, and two of these from each section must be completely correct.*

## Section A. Real Analysis

1. Let  $X \subseteq Y \subseteq Z$  where  $Z$  is a metric space (hence  $X$  and  $Y$  are metric subspaces). Prove that if  $X$  is dense in  $Y$  and  $Y$  is dense in  $Z$ , then  $X$  is dense in  $Z$ . (You may use any of the equivalent definitions of “dense” to do this, but state clearly which one(s) you are invoking.)

2. Explain why the function  $f(x) = \sum_{n=1}^{\infty} \frac{x^n \sin(x^n)}{n!}$  is well-defined and continuous on all of  $\mathbb{R}$ .

3. Let  $f : [0, 1] \rightarrow \mathbb{R}$  be defined by

$$f(x) = \begin{cases} x^2 & \text{if } x \in \mathbb{Q}, \\ 0 & \text{otherwise.} \end{cases}$$

- (a) Determine whether or not  $f$  is Riemann integrable on  $[0,1]$ ; and if so, find its Riemann integral. (You may use either Riemann’s Condition or Lebesgue’s Theorem.)
  - (b) Explain briefly why  $f$  is Lebesgue integrable, and find its Lebesgue integral  $\int_0^1 f$ .
4. Let  $A$  be a subset of  $[0, 1]$  that has *outer* Lebesgue measure  $a$ .
    - (a) Prove that there is some Lebesgue measurable set  $B$  such that  $A \subseteq B$  and  $B$  has Lebesgue measure  $a$ .
    - (b) Explain why  $B - A$  need *not* have measure zero.
  5. Find, with justification, the value of

$$\lim_{N \rightarrow \infty} \int_0^1 N \sin\left(\frac{x^2}{N}\right) dx.$$

6. Let  $\ell^2$  be the usual Hilbert space of square summable sequences of real numbers. Prove that the closed unit ball,  $B = \{ \{a_n\}_{n=1}^{\infty} \mid \sum a_n^2 \leq 1 \}$ , is not compact.

## Section B. Complex Analysis

7. Let  $f$  be an analytic function defined on the open unit disc  $\mathbb{D} = \{z \mid |z| < 1\}$ . Prove that if  $f$  is real valued on  $\mathbb{D}$ , then it must be constant.
8. Prove that  $\log z = e^z$  has no solution for  $|z| = 1$ , where  $\log z$  denotes the principal branch of the logarithm.
9. Use the method of residues to find the value of the integral  $\int_{-\infty}^{\infty} \frac{1}{(x^2 + 3)^2} dx$ .  
(Sketch your contour of integration and very briefly justify your method.)
10. Find the Laurent series of the form  $\sum_{n=-\infty}^{\infty} c_n z^n$  for

$$f(z) = \frac{1}{(z+1)^2} + \frac{z}{z^2+8}$$

that converges in an annulus containing the point  $z = 2i$ , and state precisely where this Laurent series converges.

11. Let  $\mathbb{D} = \{z \mid |z| < 1\}$  be the open unit disc and let  $\mathbb{D}^* = \mathbb{D} - \{0\}$ . Prove that there is no one-to-one, onto analytic map  $f : \mathbb{D}^* \rightarrow \mathbb{D}$ .
12. Let  $f(z)$  be an entire function and let  $p(z)$  be a non-constant polynomial. Prove that if

$$|f(z)| \leq |f(z) + p(z)|, \quad \text{for all } z \in \mathbb{C}$$

then  $f(z) = kp(z)$  for some  $k \in \mathbb{C}$ .

13. Find with justification a positive integer  $n$  such that  $p(z) = z^5 + nz^2 + \pi z + 1$  has exactly two zeros in the open disc of radius 2 centered at the origin.